Peltier Cooler




RoHS Compliant



Features

- Solid-state reliability
- High integrity nickel diffusion barriers on elements
- · High strength for rugged environments
- Porched style for enhanced leadwire strength
- · Sealed & lapped for multi-module applications

Dimensions



Parameters	Values
Imax	9A
Vmax	15.8V DC
Pc max	88W
ACR	1.4Ω
ΔTmax	68°C
Α	30mm
A1	34mm
В	30mm
Н	2.8mm
L	100mm


- (At hot side temperature Th = 25°C / 298K, under dry N₂)
- Pc max = Cooling power at ΔT = 0 and I = Imax
- ΔTmax = Temperature difference at I = Imax and Pc = 0
- Solder melting point 138°C
- Max. recommended mounting pressure: 1MPa





Peltier Cooler




At hot side temperature 25°C













At hot side temperature 50°C










www.element14.com www.farnell.com www.newark.com



Peltier Cooler



At hot side temperature 75°C



Part Number Table

Description	Part Number
Peltier Cooler, 88W, 1.4Ω, 9A	MCHPE-128-10-05-E

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com

