


S

1. PARTS COMPLY WITH TE SOLDERABILITY SPEC. 109-113  
 2. CONTACT IS PLATED OVERALL WITH .00050 NICKEL, THEN .00030 GOLD OVER CONTACT LENGTH INDICATED AND TIN PLATED ON SOLDER TAIL END.



350214 - 2	NYLON	NATURAL COPPER ALLOY	2 GOLD
350214 - 1	NYLON	NATURAL COPPER ALLOY	PRE-TIN
ASSEMBLY NO.	HSG. MATL.	COLOR	PIN MATL. FINISH

DIMENSIONS IN INCHES. DO NOT SCALE PRINT.

P1	REVISED PER ECR-13-008342	AV	RP	13NOV 2013
P	085 1-1 + 2-1 PER CM 2213	TB	RS	3/80
LN	REVISION RECORD	DR	CHK	DATE

350214

REQUIRED PER ASSEMBLY

© 1978 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.

DATE: 3/20/73  
 CHK: [Signature]  
 DE: [Signature] 4-8-73  
 APP: [Signature] 4-8-73

DESCRIPTION

NUMBER

NAME

REMARKS

ITEM NO.

CUSTOMER COPY REFERENCE ONLY

TE Connectivity

CLASS

TYPE: PIN HEADER

WIRE - RANGE - INSULATION

TOLERANCE EXCEPT AS NOTED

SCALE

LOC

CM B

NS: 350214

NAME: 16 CIRCUIT MATE-N-LOK P.C. BOARD HEADER

