


Aug.1.2016 Copyright 2016 HIROSE ELECTRIC CO., LTD. All Rights Reserved.

1	2	3	4	5	6	7	8



- NOTES**
- SMT LEAD-COPLANARITY: 0.1 MAX.
 - THIS PRODUCT HAS NO POLARITY TO MOUNT ON THE RECOMMENDED LAND PATTERN.
 - NO PATTERN SHALL BE DESIGNED IN THIS AREA , TO PREVENT CONTACTS FROM BEING TOUCHED WITH PATTERN.
 - THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

3	PHOSPHOR BRONZE	TIN-PLATING				
2	PHOSPHOR BRONZE	CONTACT AREA : GOLD 0.1μm min. LEAD AREA : TIN-PLATING 1μm min. UNDER PLATING : NICKEL 1μm min.				
1	LCP	BEIGE UL94V-0				
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	
CODE NO. (OLD) CL			DRAWN K.DOI 06.04.17	DESIGNED <i>K. Doi</i> '06.04.17	CHECKED <i>K. Ozawa</i> '06.04.18	APPROVED <i>H. Okawa</i> '06.04.18
DRAWING NO. EDC3-151971-25			PART NO. FX10A-168P-SV1(71)			
SCALE 4 : 1			CODE NO. CL570-0144-2-71			1/1
UNITS mm			HRS HIROSE ELECTRIC CO., LTD			

TO
PCK