









THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	20MAY2016	OL	SZ
	A1	DRAFT ERROR	23MAY2016	OL	SZ

- 1 MATERIAL:
HOUSING: LCP BLACK, UL94V-0; CONTACT AND RETENTION CLIP: COPPER ALLOY
- 2 PLATING:
POWER CONTACT: 3UM SILVER AT CONTACT AREA OVER NICKEL PLATED;
TIN PLATED OVER NICKEL AT SOLDER TAIL
RETENTION CLIP: TIN PLATED OVER NICKEL PLATED
- 3 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 4 UNPLATED THROUGH HOLE; THE RECOMMENDED HOLE SIZE IS 2.75MM OR 2.65MM.
- 5 "TE", PART NUMBER AND DATECODE TO BE MARKED IN AREA SHOWN



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ORANDO LI 03APR2015	2204535-1 PART NUMBER		
DIMENSIONS: mm		CHK ZHAO SUNY 03APR2015	TE Connectivity NAME 2 X 3 POS. ET STACK VERSION BOARD CONNECTOR		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SUNY ZHAO 03APR2015			
0 PLC ± 1 PLC ±0.1 2 PLC ±0.05 3 PLC ± 4 PLC ± ANGLES ± FINISH -		PRODUCT SPEC 108-	SIZE A2	CAGE CODE -	DRAWING NO. C-2204535
MATERIAL TBD		APPLICATION SPEC 114-	RESTRICTED TO -	SCALE 4:1	SHEET 1 OF 1
		CUSTOMER DRAWING	REV A1		