




HEATSINK SINK AND CLIP ARE OPTIONAL
(SEE CHART FOR HEATSINK OPTIONS -
CUSTOM HEATSINKS ARE AVAILABLE)




P/N - 747360449




COMPLIANT EMI GASKET
(DARK COLORED)



P/N - 747360447



SHOWN WITH OPTIONAL HEATSINK (SAN) AND CLIP



- ▲ MAXIMUM HEIGHT OF HEATSINK WITH MODULE INSERTED
- ▲ OVERALL HEIGHT OF HEATSINK
- 3. OTHER HEATSINK DESIGNS ARE AVAILABLE INCLUDING CUSTOM DESIGNS

PART NUMBERS FOR XFP CAGE ASSEMBLY & PARTS

P/N	DIM A	DIM B	DESCRIPTION	POWER LEVEL	THERMAL RESISTANCE @200 LFH
747360447	N/A	N/A	XFP CAGE WITH NO HEATSINK OR CLIP	N/A	N/A
747360448	4.0	4.2	XFP CAGE WITH PCI HEATSINK	UP TO 1.5W	<18.0 C/W
747360449	6.3	6.5	XFP CAGE WITH SAN HEATSINK (SHOWN)	UP TO 2.5W	<11.5 C/W
747360450	13.3	13.5	XFP CAGE WITH TALL HEATSINK	UP TO 3.5W	<8.0 C/W
747360230	N/A	N/A	HEATSINK CLIP ONLY	N/A	N/A
747360240	N/A	N/A	PCI HEATSINK ONLY	UP TO 1.5W	<18.0 C/W
747360241	N/A	N/A	SAN HEATSINK ONLY	UP TO 2.5W	<11.5 C/W
747360242	N/A	N/A	TALL HEATSINK ONLY	UP TO 3.5W	<8.0 C/W
747360453	N/A	N/A	XFP CAGE WITH NO HEATSINK OR CLIP WITHOUT ELASTOMER EMI GASKET	N/A	N/A




Added 747360453 EC NO: CPG2014-0506 DRAWN BY: CHYKOMA JOHNSTON CHECKED BY: APPERK LLOYD 2013/04/23 2013/08/20 2013/08/22	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.10 ±--- 1 PLACE ±0.25 ±--- ANGULAR ± 1°	DIMENSION STYLE MM ONLY	SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	DRAWN BY: CHIRSCHY CHECKED BY: MA JOHNSTON APPROVED BY: RMAHMOOD DATE: 2008/09/19 DATE: 2008/09/19 DATE: 2010/11/23	TITLE XFP CAGE ASSEMBLY W/ 3D LEG	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-74736-0448	SHEET NO. 1 OF 3	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DATE	REV	DESCRIPTION
2008/09/19	A	1. INITIAL RELEASE
2008/12/15	B	1. ADDED TEXT (DARK COLORED) TO COMPLIANT EMI GASKET NOTE
2010/03/01	C	1. ADDED NOTE TO PAGE 2 - THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED) TO VIEW. 2. REMOVED NOTE 2 FROM PAGE 2.
	D	
2013/04/23	E	1. ADDED 747360453.


ADDED 747360453 IEC NO: CPG2014-0506 DRAWN: PEREZ CHYKOMA JOHNSTON APPR: KLOYD	2013/04/23 2013/08/20 2013/08/22	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	4 PLACES ± mm ± INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.25 ± ---		DRAWN BY CHIRSCHY		DATE 2008/09/19		TITLE XFP CAGE ASSEMBLY W/ 3D LEG			
	ANGULAR ± 1°		CHECKED BY MA JOHNSTON		DATE 2008/09/19		APPROVED BY RMAHMOOD			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY RMAHMOOD		DATE 2010/11/23		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74736-0448	SHEET NO. 3 OF 3




HEATSINK SINK AND CLIP ARE OPTIONAL
(SEE CHART FOR HEATSINK OPTIONS -
CUSTOM HEATSINKS ARE AVAILABLE)




P/N - 747360449



COMPLIANT EMI GASKET
(DARK COLORED)




P/N - 747360447



INSULATING TAPE

12.0 REF. 38.0 REF.

SHOWN WITH OPTIONAL HEATSINK (SAN) AND CLIP



- ▲ MAXIMUM HEIGHT OF HEATSINK WITH MODULE INSERTED
- ▲ OVERALL HEIGHT OF HEATSINK
- 3. OTHER HEATSINK DESIGNS ARE AVAILABLE INCLUDING CUSTOM DESIGNS




PART NUMBERS FOR XFP CAGE ASSEMBLY & PARTS

P/N	DIM A	DIM B	DESCRIPTION	POWER LEVEL	THERMAL RESISTANCE @200 LFH
747360447	N/A	N/A	XFP CAGE WITH NO HEATSINK OR CLIP	N/A	N/A
747360448	4.0	4.2	XFP CAGE WITH PCI HEATSINK	UP TO 1.5W	<18.0 C/W
747360449	6.3	6.5	XFP CAGE WITH SAN HEATSINK (SHOWN)	UP TO 2.5W	<11.5 C/W
747360450	13.3	13.5	XFP CAGE WITH TALL HEATSINK	UP TO 3.5W	<8.0 C/W
747360230	N/A	N/A	HEATSINK CLIP ONLY	N/A	N/A
747360240	N/A	N/A	PCI HEATSINK ONLY	UP TO 1.5W	<18.0 C/W
747360241	N/A	N/A	SAN HEATSINK ONLY	UP TO 2.5W	<11.5 C/W
747360242	N/A	N/A	TALL HEATSINK ONLY	UP TO 3.5W	<8.0 C/W
747360453	N/A	N/A	XFP CAGE WITH NO HEATSINK OR CLIP WITHOUT ELASTOMER EMI GASKET	N/A	N/A

Added 747360453 EC NO: CPG2014-0506 DRAWN BY: CHYKOMA JOHNSTON CHECKED BY: APPERK LLOYD 2013/04/23 2013/08/20 2013/08/22	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.10 ±--- 1 PLACE ±0.25 ±--- ANGULAR ± 1°	DIMENSION STYLE MM ONLY	SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	DRAWN BY: CHIRSCHY CHECKED BY: MA JOHNSTON APPROVED BY: RMAHMOOD DATE: 2008/09/19 DATE: 2008/09/19 DATE: 2010/11/23	TITLE XFP CAGE ASSEMBLY W/ 3D LEG	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-74736-0448	SHEET NO. 1 OF 3	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



Added 747360453 EC NO: CPG2014-0506 DRAWN BY: DRWNGPEREZ 2013/04/23 CHYKOMAJOHNSTON 2013/08/20 APPR:KLLOYD 2013/08/22	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▼=0 ▽=0	mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.10 ±--- 1 PLACE ±0.25 ±--- ANGULAR ± 1°	MM ONLY	3:1	METRIC	DRAWN BY: CHIRSCHY DATE: 2008/09/19 CHECKED BY: MAJOHNSTON DATE: 2008/09/19 APPROVED BY: RMAHMOOD DATE: 2010/11/23
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		MATERIAL NO.		SHEET NO.
		SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		2 OF 3

DATE	REV	DESCRIPTION
2008/09/19	A	1. INITIAL RELEASE
2008/12/15	B	1. ADDED TEXT (DARK COLORED) TO COMPLIANT EMI GASKET NOTE
2010/03/01	C	1. ADDED NOTE TO PAGE 2 - THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED) TO VIEW. 2. REMOVED NOTE 2 FROM PAGE 2.
	D	
2013/04/23	E	1. ADDED 747360453.

ADDED 747360453 IEC NO: CPG2014-0506 DRAWN: PEREZ CHYKOMA JOHNSTON APPR: KLOYD	2013/04/23 2013/08/20 2013/08/22	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.25 ± ---	mm INCH	DRAWN BY CHIRSCHY	DATE 2008/09/19	TITLE XFP CAGE ASSEMBLY W/ 3D LEG				
			ANGULAR ± 1°		CHECKED BY MA JOHNSTON	DATE 2008/09/19	APPROVED BY RMAHMOOD				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY RMAHMOOD	DATE 2010/11/23	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74736-0448		
					SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					