

6

5

4

3

2

1

D

C

B


A

D



C

B

A





PANEL CUT OUT



Ø 15.20±0.05 [0.598±0.002]

2.50 MAX [0.098 MAX]
panel thick (0.8min.)



CONTACT HOLE PATTERN

NOTES:

1. MATERIAL:
 - INSULATOR: LCP, LOW FLAMMABILITY & LOW SMOKE TOXICITY
 - RECEPTACLE HOUSING, OCTAGONAL NUT : ALUMINUM ALLOY WITH ELECTROLESS NICKEL PLATING
 - RETAINER RING : STAINLESS STEEL PASSIVATED
 - O-RING : SILICONE RED COLOR
 - CONTACTS : PRECISION MACHINED COPPER ALLOY WITH GOLD PLATING (0.76-1.02µm) OVER NICKEL
2. MECHANICAL CHARACTERISTICS : DURABILITY : 500 CYCLES
3. ELECTRICAL CHARACTERISTICS :
 - CONTACT CURRENT RATING :
 - # 18 : 16A MAX WITH A TEMPERATURE RISE AT 35°C
 - # 22 : 3A MAX WITH A TEMPERATURE RISE AT 35°C
 - PROOF VOLTAGE : 1000 VRMS
 - WORKING VOLTAGE : 28 VDC
 - INSULATOR RESISTANCE : > 5 GOHM
4. RECOMMENDED TORQUE VALUES : 20 MIN. - 25 MAX. LBS-IN [2.26 - 2.825 N.m]
5. CLIMATIC CHARACTERISTICS : SEALING : IP 65 / TEMPERATURE RANGE : -55°C/+125°C
6. COMPLIANT TO THE CURRENT ROHS DIRECTIVE.

PART NUMBER DEFINITION :
 PROJECT NUMBER-CONFIGURATION-GENDER-PART FINISH
 P+ YY-WW JOB N#
 EX: PSK170008-100-1-51 P+ 17-46 F365679

DETAILED PRODUCT, MECHANICAL, AND ELECTRICAL INFORMATION AVAILABLE IN THE LATEST PRODUCT PUBLICATION AT CONNECTPOSITRONIC.COM

BY FL	CHK EB	3RD ANGLE 	POSITRONIC BELIEVES THE DATA ON THE DRAWING TO BE RELIABLE. THE USER EMPLOYS SUCH INFORMATION AT HIS OWN DISCRETION AND RISK. POSITRONIC ASSUMES NO RESPONSIBILITY FOR RESULTS OBTAINED OR DAMAGES INCURRED FROM USE OF SUCH INFORMATION IN WHOLE OR IN PART.	 Positronic [®] CONNECTPOSITRONIC.COM
APR PP	RELEASED DATE: 2020-03-12	SCALE NTS		
TOLERANCES			PART NUMBER	SERIES
±0.03mm [0.001 INCHES] FOR MALE CONTACT MATING DIAMETERS ±0.08mm [0.003 INCHES] FOR CONTACT TERMINATION DIAMETERS ±0.13mm [0.005 INCHES] FOR ALL OTHER DIAMETERS ±0.38mm [0.015 INCHES] FOR ALL OTHER DIMENSIONS +5° FOR ALL ANGLES DIMENSION ARE IN MILLIMETERS [INCHES]			PSK170008-110-1-14	TALON
TITLE			RCPT WITH MALE PCB STRAIGHT CONTACTS	
CREATED ON: 2020-03-09	SHEET SHEET 1 OF 1	REV C		

6

5

4

3

2

1