


ITEM	PART#	DESCRIPTION	QTY	UOM
A	469920210	MiniFitJr Rcpt DR V2 GW 2Ckt Black	1	PC
B	39000077	MiniFit Term Crp Fem Chn Bs Tin 16awg	2	PC
C	--	WHITE PART ID LABEL	1	PC

FROM	TO	DESCRIPTION	COLOUR
A1	--	1X16AWG DISC BK	BLACK
A2	--	1X16AWG DISC BK	BLACK



PART NUMBER	TITLE	L1	L2(REF)
2240951020	Mini-Fit Versa R-S 2ckt 50mm disc Sn	50±5	20
2240951021	Mini-Fit Versa R-S 2ckt 100mm disc Sn	100±5	25
2240951022	Mini-Fit Versa R-S 2ckt 150mm disc Sn	150±5	25
2240951023	Mini-Fit Versa R-S 2ckt 300mm disc Sn	300±5	25
2240951024	Mini-Fit Versa R-S 2ckt 600mm disc Sn	600±5	25

MOLEX P/N
MOLEX
BATCH WK/YR

DETAIL A

NOTES

- CABLE ASSEMBLY TO BE TESTED 100% FOR CONTINUITY AND POLARITY.
- CONNECTOR VIEW SHOWN IS FROM MATING SIDE.
- LABEL TEXT MUST BE 2 MM MAX. IN HEIGHT WITH ARIAL FONT.
- LABEL MUST BE WRAPPED IN FLAG TYPE ON A SINGLE CABLE.
- TINNING SHOULD BE DONE WITH LEAD FREE SOLDER BAR ONLY.
- FREE ENDS MUST BE STRIPPED, TWISTED & TINNED.
- THE LENGTH OF TINNING IS 5±1 MM. TINNING DIA MUST BE 1.8 MM MAX.

FUNCTIONAL SYMBOLS $\frac{FA}{\Delta} = 0$ $\frac{FE}{\Delta} = 0$ $\frac{FP}{\Delta} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	NTS	ANGULAR TOL ± °		
	EC NO: 736238		4 PLACES ±		
DRWN: THANUB		3 PLACES ±		2023/01/16	PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER: 2240951020 DOC TYPE: PSD DOC PART: 000 REVISION: A
CHK'D: SKUMAR07		2 PLACES ±		2023/02/06	
APPR: SKUMAR07		1 PLACE ±		2023/02/06	
INITIAL REVISION:		0 PLACES ±		2023/01/16	MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 1
DRWN: THANUB		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		2023/02/06	
APPR: SKUMAR07		THIRD ANGLE PROJECTION	DRAWING	SERIES	
			A4-SIZE	224095	

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2023/15/01	A	INITIAL RELEASE	THANUB

RELEASE STATUS	P1	RELEASE DATE	2023/02/06	07:28:11
----------------	----	--------------	------------	----------