

## SAFETY DATA SHEET

### SAFEWASH 2000 JIGWASH

#### 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT NAME SAFEWASH 2000 JIGWASH  
PRODUCT NO. ESWAJ05L, 05LMOD01, 25L  
APPLICATION Cleaning Product  
SUPPLIER H K WENTWORTH PTY LIMITED  
P.O. BOX 339  
BROOKVALE, NSW 2100  
AUSTRALIA  
TEL: 02 9938 1566  
FAX: 02 9938 1467  
GENERAL MANAGER  
EMERGENCY TELEPHONE Tel: 029938 1566 between 8.30am and 5.00pm EST

#### 2 HAZARDS IDENTIFICATION

HAZARD ID

Irritating to eyes.

HAZARD ID 2

The above phrases are the risks associated with the product

STATEMENT OF HAZARDOUS NATURE

HAZARDOUS SUBSTANCE (According to criteria of NOHSC). NON-DANGEROUS GOODS (According to ADG Code).

SAFETY PHRASES

S25	Avoid contact with eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S60	This material and its container must be disposed of as hazardous waste.

DG CLASS

Not classified for transportation.

#### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
Dipropylene glycol monomethyl ether		34590-94-8	5-10%	-
Alcohol Ethoxylate		68439-46-3	5-10%	Xn;R22. Xi;R41.
2-AMINOETHANOL	205-483-3	141-43-5	5-10%	C;R34 Xn;R20/21/22
Alkylbenzene sulphonic acid		25155-30-0	1-5%	Xn;R22. Xi;R38,R41.

COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels Ingredients are registered on AICS

#### 4 FIRST-AID MEASURES

NOTES TO THE PHYSICIAN

Treat symptomatically

INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Rinse mouth thoroughly. Get medical attention.

## SAFEWASH 2000 JIGWASH

### SKIN CONTACT

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.

### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

## 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

Use: Carbon dioxide (CO<sub>2</sub>). Alcohol resistant foam. Powder. Dry chemicals, sand, dolomite etc.

### SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours. Move container from fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapours.

## 6 ACCIDENTAL RELEASE MEASURES

### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Wear necessary protective equipment.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

### STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
2-AMINOETHANOL	ES-TWA	3 ppm	7.5 mg/m3	6 ppm	15 mg/m3
Dipropylene glycol monomethyl ether	ES-TWA	50 ppm(Sk)	308 mg/m3(Sk)		

### INGREDIENT COMMENTS

Australian exposure limits are: LT= ES-TWA and ST= ES STEL

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide sufficient ventilation during operations which cause vapour formation.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Occupational Exposure Limit

### HAND PROTECTION

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

### EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

## SAFEWASH 2000 JIGWASH

APPEARANCE	Liquid		
COLOUR	Green		
ODOUR	Characteristic		
BOILING POINT (°C)	100	RELATIVE DENSITY	0.99 - 1.10 @ 20 °c
BULK DENSITY	990 kg/m <sup>3</sup>	pH-VALUE, CONC. SOLUTION	11 - 15
VISCOSITY	5 - 10 mPas @ 15 °c		

### 10 STABILITY AND REACTIVITY

#### STABILITY

Stable under normal temperature conditions.

#### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidisers.

### 11 TOXICOLOGICAL INFORMATION

#### INHALATION

May cause irritation to the respiratory system.

#### INGESTION

May cause stomach pain or vomiting.

#### SKIN CONTACT

Prolonged contact may cause dryness of the skin. May cause skin irritation/eczema

#### EYE CONTACT

Irritating to eyes.

#### Other Health Effects

This substance has no evidence of carcinogenic properties.

#### TARGET ORGANS

Eyes.

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

No data on possible environmental effects have been found.

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

### 14 TRANSPORT INFORMATION

#### ROAD TRANSPORT NOTES

Not Classified

#### RAIL TRANSPORT NOTES

Not Classified.

#### SEA TRANSPORT NOTES

Not Classified.

#### AIR TRANSPORT NOTES

Not Classified.

#### ADG CLASS

Not classified for transportation

#### DG CLASS

Not classified for transportation.

MARINE POLLUTANT

No.

### 15 REGULATORY INFORMATION

#### LABELLING



Irritant

## SAFEWASH 2000 JIGWASH

### RISK PHRASES

R36 Irritating to eyes.

### SAFETY PHRASES

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S60 This material and its container must be disposed of as hazardous waste.

### GUIDANCE NOTES

Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003 (1995)]

### NATIONAL REGULATIONS

National Model Regulations for the Control of Workplace Hazardous Substances [NOHSC:1005(1994)]

National Code of Practice for the Control of Workplace Hazardous Substances [NOHSC:2007(1994)]

National Code of Practice for the Preparation of Material Safety Datasheets [NOHSC:2011(2003)]

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) and List of Designated Hazardous Substances

POISONS SCHEDULE NUMBER NONE

## 16 OTHER INFORMATION

REVISION DATE NOVEMBER 2007

REV. NO./REPL. SDS GENERATED 0

SDS NO. 10588

### RISK PHRASES IN FULL

R22 Harmful if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.