Canon
-------

MATERIAL SAFETY DATA SHEET

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# **Product Identifier:**

Product Name:	Canon Ink Tank BCI-16 Color
Product Code:	9818A
<b>Relevant Identified Use</b>	es: Ink for Ink Jet Printer
Details of Supplier of S	Safety Data Sheet:
Supplier:	Canon Europa NV
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands
Telephone Number	: +31 20 5458545, +31 20 5458222
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;
Emergency Telephone	·
Manufacturer:	Canon Inc.
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

# SECTION 2 HAZARDS IDENTIFICATION

#### **Emergency Overview:**

A three-color ink tank. (Cyan, Magenta and Yellow) All the ink is liquid mixture with slight odor.

#### **US Regulatory Status under FHSA:**

Not classified as hazardous.

# US Label Elements under FHSA:

Signal Word:	Not required
Hazard Warning	Not required
Safety Advice:	Not required
Hazardous Com	oonent: Not required

#### EU Classification under 1999/45/EC:

Not classified as dangerous.

# EU Label Elements under 1999/45/EC:

Symbol & Indication:	Not required
R-Phrase:	Not required
S-Phrase:	Not required
Dangerous Component:	Not required

# Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

# **Other Hazards:**

None



# MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC1359-0606

MSDS #:

Product Code:

9818A

# SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name/	CAS #/	Concentration/	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
Generic Name	EC #	Concentration Range (%)	67/548/EEC Symbol/ Indication of Danger	R-Phrase <sup>*1</sup>	Hazard Class/ Category Code	Hazard Statement* <sup>1</sup>	Hazards*
Glycerin	56-81-5 / 200-289-5	1 - 10	None	None	None	None	(1)
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Diethylene glycol (Contained in yellow ink)	111-46-6 / 203-872-2	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	
Substituted phthalocyanine (Contained in cyan ink)	Confidential	5 - 10	Xi / Irritant	R41 R52/53	Eye Dam. 1 Aquatic Chronic 3	H318 H412	
Ethylene urea (Contained in yellow ink)	120-93-4 / 204-436-4	1 - 5	Xi / Irritant	R36	Eye Irrit. 2	H319	
Poly(oxy-1,2-ethanediyl), . alpha., alpha.'-[1,4-dimethyl -1,4-bis(2-methylpropyl)-2- butyne-1,4-diyl]bis[.omega hydroxy-	9014-85-1 / Not applicable	0.1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
Ammonia derivative (Contained in cyan and magenta ink)	Confidential	10 - 15	None	None	None	None	
Lactam	Confidential	5 - 10	None	None	None	None	
Magenta dye (Contained in magenta ink)	Confidential	5 - 10	None	None	None	None	

\*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

\*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



### FIRST AID MEASURES SECTION 4 **First Aid Measures:** Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Most Important Symptoms and Effects, both Acute and Delayed: Inhalation: No adverse effects are expected under intended use. Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea. **Ingestion:** May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting. Skin: Cyan: May cause no irritation and mild sensitization. Magenta and Yellow: Neither irritation nor sensitization is expected. (See SECTION 11) Eye: Cyan and Magenta: May cause slight irritation. Yellow: No irritation is expected. (See SECTION 11) **Chronic Effects:** Not identified Indication of Any Immediate Medical Attention and Special Treatment Needed: None **SECTION 5** FIRE FIGHTING MEASURES

#### **Extinguishing Media:**

#### **Suitable Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

# Unsuitable Extinguishing Media:

None Special Hazards:

#### None

#### **Hazardous Combustion Products:**

 $CO, CO_2, NOx and SOx$ 

#### Advice for Fire-fighters:

None

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

# **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

# Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Canon
-------

MSDS #:

Product Code:

# SECTION 7 HANDLING AND STORAGE Precautions for Safe Handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately. Conditions for Safe Storage, Including Any Incompatibilities: Keep in a cool and dry place. Protect from sunlight. Keep out of the reach of children.

#### **Specific End Uses:**

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

trol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL
Product (Ink)	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup> (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established
Ethylene glycol (Contained in cyan and magenta ink)	Not established	aerosol: Ceiling 100 mg/m <sup>3</sup>	TWA 20 ppm, 52 mg/m <sup>3</sup> STEL 40 ppm, 104 mg/m <sup>3</sup>

**Exposure Controls:** 

**Engineering Controls:** No special ventilation equipment is needed under intended use of this product. **Individual Protection Measures:** 

**Eye/Face Protection:** Required Not Required

**Respiratory Protection:** Required Not Required

Page 5 of 8

MSDS #:

IC1359-0606	
9818A	

#### Product Code: PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Cyan, magenta and yellow liquid **Odor:** Slight odor 7 - 10 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): None (Tag. Closed Cup.) Not available **Evaporation Rate:** Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): Not available **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None ⊠ Stable □ Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None

Acids, bases, oxidizing materials and reducing agents

Hazardous Decomposition Products: CO, CO<sub>2</sub>, NOx, SOx and Ammonia

None

**Conditions to Avoid:** 

**Incompatible Materials:** 



MSDS #:

ECTION 11 TOXICOLOGICAL INFORMATION	
formation on Toxicological Effects:	
Acute Toxicity:	
Inhalation:	
Not available	
Ingestion:	
All colors: $LD_{50} > 2000 \text{ mg/kg}$ (rat)	
OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris	
Corrosivity/Irritation: Skin:	
Cyan and Yellow: Not irritant (rabbit)	
Magenta: Considered to be "not irritating" based on the classification criteria under 2001/59/EC (rab OECD Guidelines No. 404 (2002), 92/69/EEC Method B4	bit)
Eye:	
Cyan and Magenta: Slightly irritating (rabbit)	
Yellow: Practically non-irritating (rabbit)	
OECD Guidelines No. 405 (2002), 92/69/EEC Method B5	
Sensitization: Skin:	
Cyan: Mild sensitizer (guinea pig)	
Magenta and Yellow: Non-sensitizer (guinea pig)	
OECD Guidelines No. 406 (1992), 96/54/EC Method B6	
Repeated Dose Toxicity:	
Not available	
Carcinogenicity:	
Not available	
Mutagenicity:	
Ames test:	
All colors: Negative (S. typhimurium & E. Coli)	
Toxicity for Reproduction:	
Not available	
Other Information:	
Not available	

Comon		MSDS #:	Page 7 of 8 IC1359-0606
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	9818A
SECTION 12 ECOLOGI	CAL INFORMATION		
Toxicity:	Not available		
Persistence and Degradability	Not available		
Bioaccumulative Potential:	Not available		
Mobility in Soil:	Not available		
Results of PBT and vPvB Assessment:	No results that the component(s) of this ink meet(s) t Regulation (EC) No 1907/2006.	he PBT or vPvB	criteria under
Other Adverse Effects:	Not available		
Waste Treatment Methods:	CONSIDERATIONS		
SECTION 14 TRANSPO	ORT INFORMATION		
UN Number:	None		
UN Proper Shipping Name:	None		
Transport Hazard Class:	None		
Packing Group:	None		
Environmental Hazards:	Not classified as environmentally hazardous under UN pollutant under IMDG Code.	N Model Regulat	ions and marir
Special Precautions for User:	None		
SECTION 15 REGULAT : USA Information > SARA Title III §313: <u>Chemical Name</u>	TORY INFORMATION	Weight %	
	(Contained in cyan and magenta ink)	5 - 10	
"Copper Compounds" (C (as Cu)	Contained in cyan ink)	5 - 10	
California Proposition 65:		(< 0.35)	
Chemical Name		Weight %	
None		0	
< EU Information > Safety, Health and Environn	nental Regulations/Legislation:		
(EC) No 1907/2006: Autho	risation:Not regulated		
Restri	ction: Not regulated		
(EC) No 1005/2009: Not re	gulated		
(EC) No 850/2004: Not re	egulated		
(EC) No 689/2008: Not re	egulated		
Others: None			
< Canada Information > WHMIS Controlled Produ < Australia Information >	under (EC) No 1907/2006:       Not required         ict:       Not applicable (Manufactured article)         fature:       Not classified as hazardous according to criteria	of NOHSC.	



9818A

MSDS #:

Product Code:

# SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

- R22: Harmful if swallowed.
- R36: Irritating to eyes.
- R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

# Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.