






Features:

- 1 year warranty
- Safety : GS, CB, CE
- Universal AC input 90 - 264 V ac
- Low ripple and noise
- No minimum load requirement
- 100% burn in test



Dimensions : Millimetres



Dimensions : Millimetres

Specification Table

Information			
Model Number	3A-041WE-05	3A-041WE-09	3A-041WE-12
Output			
Voltage	5 V dc	9 V dc	12 V dc
Current (Maximum)	1 A	0.55 A	0.42 A
Current (Minimum)		0 A	
Line Regulation		$\pm 1\%$	
Load Regulation		$\pm 5\%$	

Information			
Model Number	3A-041WE-05	3A-041WE-09	3A-041WE-12
Output			
Over-Voltage Protection	Zener Clamped O / P Shutdown		
Short Circuit Protection	O / P Shutdown Auto Restart		
Ripple Voltage (L.F)	100 mV P-P	100 mV P-P	120 mV P-P
O / P Connector	(1.5 M Jack Lead) 2.1 × 5.5 × 12 mm, Centre + VE R / A		
Environment			
Operating Temperature	0 to 40°C		
Storage Temperature	-10 to 70°C		
Operating Humidity	20 to 80% RH Non-Condensing		
Storage Humidity	10 to 90% RH Non-Condensing		
Input			
Voltage Range	90 to 264 V ac		
Frequency	47 to 63 Hz		
Current RMS (Maximum)	200 mA		
In-Rush Current	15 A / 30 A		
Leakage Current	0.25 mA		
Other			
Efficiency	64.5% (CEC Compliant)		
I / P Power (No Load)	<0.3 W (CEC Compliant)		
MTBF	50 K Hrs		
Dimensions	See Diagram on following page		
Safety and EMC			
Hi Pot Test I / P - O / P	1.5 KV ac or 2,121 V dc		
Insulation I / P - O / P	100 MΩ		
Safety and Certification	Safety - EN 60950-1, IEC 60950-1, UL 60950-1, CSA C22.2 No. 60950-1 EMI - C CFR 47 PART 15, EN 55022, EN 61000-3 EMC - EN 55024 (EN61024-3), EN 61000-4		

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.