

# SAFETY DATA SHEET LABELCLENE

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name	LABELCLENE
Product No.	LCL125
	ALCL125
	ZA
4.0 Deleveret identifier durante of th	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning Product
Uses advised against	At this moment in time we do not have information on use restrictions. They will be included
	in this safety data sheet when available

#### 1.3. Details of the supplier of the safety data sheet

in the Contract of the Contrac	Supplier	AF INTERNATIONAL. A division of HK WENTWORTH LTD ASHBY PARK COALFIELD WAY ASHBY de la ZOUCH LEICESTERSHIRE. LE65 1JR UNITED KINGDOM +44 (0) 1530 419600 +44 (0) 1530 416640 info@hkw.co.uk
--	----------	---

# 1.4. Emergency telephone number

+44 (0)1530 419600 between 8.30am - 5.00pm Mon - Fri

# SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Classification (1999/45/EEC)

Xn;R65. Xi;R38. R43. N;R50/53. R10.

#### Environment

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment. Dispose of waste and residues in accordance with local authority requirements.

# 2.2. Label elements

Contains

Orange Terpenes C11-C15 ISO-ALKANES C9-C12 ISO-ALKANES

Labelling





Dangerous for the environment

R10	Flammable.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.

**Risk Phrases** 

Report Date : 07/08/2012

# LABELCLENE

## Safety Phrases

S24	Avoid contact with skin.
S37	Wear suitable gloves.
S51	Use only in well-ventilated areas.
S57	Use appropriate containment to avoid environmental contamination.
S60	This material and its container must be disposed of as hazardous waste.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# 2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	

#### 3.2. Mixtures

Orange Terpenes			10-30%
CAS-No.: 8028-48-6	EC No.: 232-433-8		
Classification (EC 1272/2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC) Xn;R65. Xi;R38. N;R50/53. R10,R43.	
C11-C15 ISO-ALKANES			10-30%
CAS-No.: 90622-58-5	EC No.: 292-460-6		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xn;R65. R66.	
C9-C12 ISO-ALKANES			10-30%
CAS-No.: 90622-57-4	EC No.: 292-459-0		
Classification (EC 1272/2008) Not classified.		Classification (67/548/EEC) Xn;R65. R66,R53.	
3-BUTOXYPROPAN-2-OL			10-30%
CAS-No.: 5131-66-8	EC No.: 225-878-4		
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		Classification (67/548/EEC) Xi;R36/38	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# **Composition Comments**

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels.

# SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

#### Inhalation

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention. **Ingestion** 

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Provide rest, warmth and fresh air. Get medical attention immediately!

#### Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

#### Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Extinguishing media

Fire can be extinguished using: Foam. Dry chemicals, sand, dolomite etc. Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

#### 5.3. Advice for firefighters

#### Special Fire Fighting Procedures

Avoid breathing fire vapours. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

Do not discharge into drains, water courses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Clean-up personnel should use respiratory and/or liquid contact protection. Absorb in vermiculite, dry sand or earth and place into containers. **6.4. Reference to other sections** 

# Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level. Use explosion proof electric equipment. **7.2. Conditions for safe storage, including any incompatibilities** 

Flammable/combustible - Keep away from oxidisers, heat and flames. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. **Storage Class** 

Flammable liquid storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
3-BUTOXYPROPAN-2-OL	SUP	50 ppm				
C11-C15 ISO-ALKANES			1200 mg/m3			
C9-C12 ISO-ALKANES			1200 mg/m3			

#### 8.2. Exposure controls

Protective equipment



#### Process conditions

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

# Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

#### Respiratory equipment

In case of inadequate ventilation and work of brief duration, use suitable respiratory equipment.

#### Hand protection

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Gloves should conform to EN374 Nitrile gloves are recommended.

#### Eye protection

Use approved safety goggles or face shield. EN166

#### Other Protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

# Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid Clear
Colour	Colourless.
Odour	Lemon.
Solubility	Insoluble in water
Initial boiling point and boiling range	>100 (212 F)
Relative density	0.820 - 0.840 @ 20 °C (68 F)
Flash point	<55 (131 F) CC (Closed cup).
Auto Ignition Temperature (°C)	>200 (392 F)
Flammability Limit - Lower(%)	0.7
Flammability Limit - Upper(%)	8.3
9.2. Other information	

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

There are no known reactivity hazards associated with this product. **10.2. Chemical stability** 

Stable under normal temperature conditions. **10.3. Possibility of hazardous reactions** 

Not available. Hazardous Polymerisation Will not polymerise. 10.4. Conditions to avoid

Avoid heat. Avoid contact with oxidisers or reducing agents. **10.5. Incompatible materials** 

#### Materials To Avoid

Strong acids. Strong alkalis. Strong oxidising substances. **10.6. Hazardous decomposition products** 

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO2).

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### Inhalation

Vapours may cause headache, fatigue, dizziness and nausea. High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

#### Ingestion

Harmful: may cause lung damage if swallowed.

#### Skin contact

Irritating to skin. May cause sensitisation by skin contact. Product has a defatting effect on skin. Prolonged contact may cause dryness of the skin.

#### Eye contact

Irritating to eyes.

#### **Health Warnings**

Intentional misuse by concentrating / inhalating contents may be lethal **Route of entry** Inhalation. Skin absorption.

Toxicological information on ingredients.

#### 3-BUTOXYPROPAN-2-OL (CAS: 5131-66-8)

Toxic Dose 1 - LD 50

2612-5500 mg/kg (oral rat)

#### SECTION 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

Dangerous for the environment if discharged into watercourses.

#### 12.1. Toxicity

#### Ecological information on ingredients.

#### 3-BUTOXYPROPAN-2-OL (CAS: 5131-66-8)

LC 50, 96 Hrs, Fish mg/l 560-1000 EC 50, 48 Hrs, Daphnia, mg/l >1000

## 12.2. Persistence and degradability

## 12.3. Bioaccumulative potential

# 12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

#### 12.6. Other adverse effects

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT	INFORMATION
14.1. UN number	
UN No. (ADR/RID/ADN)	1993
UN No. (IMDG)	1993
UN No. (ICAO)	1993
14.2. UN proper shipping name	
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S. (Orange Terpenes)
14.3. Transport hazard class(es)	
ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3
ICAO Class/Division	3
Transport Labels	
	FLAMMABLE JQUID 3

14.4. Packing group

ADR/RID/ADN Packing group	III	
IMDG Packing group	III	
ICAO Packing group	111	
14.5. Environmental hazards		

Environmentally Hazardous Substance/Marine Pollutant No.

#### 14.6. Special precautions for user

EMS	F-E, S-E
Emergency Action Code	•3YE

Hazard No. (ADR)	30
Tunnel Restriction Code	(D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

#### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Uk Regulatory References

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

#### **Environmental Listing**

Control of Pollution Act 1974. Control of Pollution (Special Waste Regulations) Act 1980. Rivers (Prevention of Pollution) Act 1961.

#### Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

## Guidance Notes

Workplace Exposure Limits EH40.

# EU Legislation

Dangerous Substance Directive 67/548/EEC.

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

#### 15.2. Chemical Safety Assessment

# **SECTION 16: OTHER INFORMATION**

#### **Revision Comments**

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

Issued By	Helen O'Reilly
Revision Date	JULY 2012
Revision	5
SDS No.	10410
Risk Phrases In Full	
R10	Flammable.
R65	Harmful: may cause lung damage if swallowed.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R53	May cause long-term adverse effects in the aquatic environment.
R43	May cause sensitisation by skin contact.
R66	Repeated exposure may cause skin dryness or cracking.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.