BlackSys
The In-Car CCTV Black Box Security System

120° | **GPS** | **PLAYER** | **LED** | **FORMAT** | **WDR**

The BlackSys In-car CCTV system provides strong evidence in the event of non-fault road traffic accidents. Proven to improve driver behaviour and allows business owners to monitor the driving of their employees.

The BlackSys In-car black box recorder stores all filming and GPS data to an SD card, and automatically stores 20% of its memory for recording incidents such as bumps or harsh braking. (Records events 10 Seconds before, during and 10 seconds after the incident)

Why Buy a Blacksys?

- Protection against "Crash for Cash" scams.
- Protect your no claims bonus.
- Reduce your Litigation Costs.
- Speed up claim settling.
- Reduce the running costs of fleets.
- GPS data. (Speed/direction./time/date)

As featured on Real Radio

Real radio 105.4fm

**f** **t** **You Tube**

Distributed by:

BlackSys

The In-Car CCTV Black Box   Security System

Features

- Records 10 seconds before and after impact.
- Parking Mode Recording.
- Provided clear images under back light circumstances.
- Wide Angle View (120°) for seamless recording (30fps).
- GPS Tracking.
- Clear Voice Recording.
- Emergency Recording Zoom through PC viewer.
- Video Playback for Windows.
- Video Review through Navigation System.

From 4GB up to 32GB

SanDisk Ultra 32GB microSDHC I

Ideal for:

- Family Cars
- Taxis
- Vans
- HGV's
- Company Vehicles

Distributed by:

BlackSys

The In-Car CCTV Black Box Security System

Specification

MPU	Core Logic
Camera module	Lens: 1/3" Angle: 120°,350K pixels WDR CMOS
GPS	Option (External)
Shock Sensor	Tri-axial shock detection G-Sensor.
Video	Format : MP4 Resolution : 720 X 480 (D1) Frame : 30fps/sec (1Channel)
Audio Out	Buzzer
Mic.	Mono Embedded type
Video Output	NTSC (MPU Built in)
Power	DC 12V ~ 24V Free Voltage
Memory Storage	Micro SD(SDHC Support) Memory Card (4GB – 32GB)
Functions	Parking Mode : activate automatically(None, 10, 20min.). Default : 10 min. Zoom : Image Expansion
Additional Functions	Linkage with Google Map / Buzzer information / LED indicator
Operation Temperature	-20℃ ~ + 70℃
Dimension (mm)	58(W) x 100(L) x 29(H)
Weight	76 g
Software	PC Viewer Program Zoom In Function though PC Viewer Program

Distributed by: