

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

PROPOWER BUTANE GAS

Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Speciality

## 1.3. Details of the supplier of the safety data sheet

Premier Farnell 150 Armley Road Leeds LS12 2QQ

Tel.: +44 (0) 870 129 8608

## 1.4. Emergency telephone number

+44 (0) 870 202530

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical : Aerosols, category 1

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Health : Not classified Environment : Not classified

Other hazards : Repeated exposure may cause skin dryness or cracking.

Classification according to 67/548/EEC or 1999/45/EC:

Extremely Flammable

Health : Not classified

Physical : R12: Extremely flammable.

Extremely Flammable

Environment : Not classified

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictogram(s) : Signal word : Danger

Hazard statement(s) : H222 : Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Precautionary statement(s) : P102 : Keep out of reach of children.

P210 : Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251 : Do not pierce or burn, even after use.

P410/412: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

P501-2: Dispose of contents/container to an authorised waste collection point.





#### 2.3. Other hazards

In case of contact with liquid product frostbite symptoms may occur.

Aerosols may explode if heated above 50°C

Without adequate ventilation formation of explosive mixtures may be possible.

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable.

#### 3.2. Mixtures

Hazardous ingredient	CAS-nr.	EC-nr	w/w %	symbol	R-phrases*	Note				
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	68512-91-4	270-990-9	60-100	F+	12	K, G				
Explanation notes										
<b>G</b> : exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006										
<b>K</b> : not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)										

Hazardous ingredient	Registration number	N° CAS	EC-nr	w/w %	Hazard Class and Category	Hazard Statement	Note
Hydrocarbons, C3-4-rich, petroleum distillate	-	68512-	270-	60-	Press. Gas,	H280,	K, G

91-4

990-9

100

Flam, Gas 1

H220

**Explanation notes** 

G: exempted from the obligation to register in accordance with art.2(7)(a)of REACH Regulation No 1907/2006

K: not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

(\*Explanation phrases : see chapter 16)

Petroleumgas (1,3-butadiene < 0.1%)

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Contact with eyes : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

Contact with skin : In case of contact with liquid, thaw frosted parts with water, remove clothing carefully and wash

with soap & water Seek medical attention if irritation persists

Inhalation : Fresh air, keep warm and at rest.

If breathing is difficult give oxygen

Apply artificial respiration only if patient is not breathing

Ingestion : Ingestion is unlikely to occur

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness

Ingestion : Ingestion is unlikely to occur

: In case of contact with liquid product frostbite symptoms may occur. Skin contact Eye contact : In case of contact with liquid product frostbite symptoms may occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

: In case of accident or if you feel unwell, seek medical advice (show the label where possible) General Advice

If symptoms persist always call a doctor

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media





Foam, carbon dioxide or dry agent

### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO.CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation
Wear suitable protective clothing and gloves.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

## 6.3. Methods and material for containment and cleaning up

Allow product to evaporate Shut off all ignition sources Ventilate area

### 6.4. Reference to other sections

For further information see section 8

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Do not spray on a naked flame or incandescent material.

Do not pierce or burn aerosols, even after use.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

## 7.2. Conditions for safe storage, including any incompatibilities

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Store in a well-ventilated place.

Keep out of reach of children.

## 7.3. Specific end use(s)

Speciality

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Exposure limits : No information available





8.2. Exposure controls

Control procedures : Ensure adequate ventilation

Keep away from heat and sources of ignition

Personal protection : Take precautions to avoid contact with skin and eyes when handling the product.

Ensure adequate ventilation

Inhalation : In case of insufficient ventilation, wear suitable respiratory equipment.

Hands and Skin : Wear suitable protective gloves against chemicals

Recommended gloves : Nitrile

Eyes : Wear safety goggles

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance: physical state: Liquified gas.

Colour: Colourless.

Odour : Characteristic odor Hq : Not applicable. Boiling point/range : Not available. : Not available. Flash point Evaporation rate : Not available. Explosion limits : upper limit : Not available. : Not available. Lower limit Vapour pressure : Not available. Relative density : Not available. : Insoluble in water Solubility in water : Not available. Auto-ignition Viscosity : Not available.

## 9.2. Other information

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

## 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C. Avoid overheating

## 10.5. Incompatible materials

Strong oxidising agent

## 10.6. Hazardous decomposition products

 $CO,CO_2$ 





# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation : Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness

Ingestion : Ingestion is unlikely to occur

Skin contact : In case of contact with liquid product frostbite symptoms may occur.

Eye contact : In case of contact with liquid product frostbite symptoms may occur.

Toxicological data:

No information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, chronic category 2

Toxic to aquatic life with long lasting effects.

#### Ecotoxicological data:

No information available

#### 12.2. Persistence and degradability

No information available

#### 12.3. Bioaccumulative potential

No information available

## 12.4. Mobility in soil

Insoluble in water

#### 12.5. Results of PBT and vPvB assessment

No information available

#### 12.6. Other adverse effects

No information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.

Do not discharge into drains or the environment, dispose to an authorised waste

collection point.

National regulations : Disposal should be in accordance with local, state or national legislation

## **SEC TION 14: Transport information**

14.1. UN number

UN-number : 1950

14.2. UN proper shipping name

Proper shipping name : AEROSOLS

14.3. Transport hazard class(es)

Class : 2.1 ADR/RID - Classification code : 5F





14.4. Packing group

Packing group : Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally

hazardous : No IMDG - Marine pollutant : No IATA/ICAO - Environmentally hazardous : No

14.6. Special precautions for user

 ADR/RID - Tunnelcode
 : (D)

 IMDG - Ems
 : F-D, S-U

 IATA/ICAO - PAX
 : 203

 IATA/ICAO - CAO
 : 203

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

EU-directive 99/45/EC

Regulation (EC) No 1272/2008 (CLP) Regulation (EC) No 1907/2006 (REACH)

## 15.2. Chemical safety assessment

No information available

# **SECTION 16: Other information**

\*Explanation risk-phrases : R12: Extremely flammable. \*Explanation hazard statements : H220 : Extremely flammable gas.

H280: Contains gas under pressure; may explode if heated.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

**Part Number** 

PPC113

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2012.

