
KEMET Part Number: TRS5-90BLRVU



KEMET, TRS



| General Information | |
|---------------------|---------------------|
| Series: | TRS |
| Туре: | Thermal Sensors |
| Style: | Axial |
| Description: | Thermal Reed Switch |
| Features: | BLR Series |
| Lead: | Cables |
| RoHS: | Yes |
| Approvals: | UL, CSA, VDE |

| Dimensions | | |
|------------|-----------|--|
| D | 8.2mm MAX | |
| L | 50mm MAX | |
| L2 | 29mm MAX | |
| Т | 20mm MAX | |
| LL | 200mm | |

| Packaging Specifications | |
|--------------------------|-------------------|
| Packaging: | Bulk, Rubber Band |
| Packaging Quantity: | 600 |

| Specifications | | |
|------------------------------|--|--|
| Rated Temperature: | 90C | |
| Rated Temperature Tolerance: | +/-2.5C | |
| Temperature Range: | 0/+130C | |
| Voltage AC: | 264 VAC MAX (Opening/Closing) | |
| Current: | 0.275 Amps MAX (Make/Break) | |
| Miscellaneous: | Differential Temperature = 10C MAX. Power = 60.5W AC MAX (Opening/Closing) | |

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

