

# 40lb. Intermediate Cable Ties


**pro-POWER**



## Specifications

Type	: Intermediate
Material	: Nylon 6.6 / Polyamide
Colour	: UV Black, Natural
Min. Loop Tensile Strength	: 40lb. (178N)
Operating Temperature	: -40°F to +185°F
Flammability Rating	: UL 94V-2
Plenum Rating	: AH-2

## Diagram



## Dimensions

Part Number	Bundle Diameter		Length	Thickness	Width	D	E	F
	Min. Inches (mm)	Max. Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)	Inches (mm)
PP002203	0.0625 (1.587)	2.375 (60.325)	8.875 (225.425)	0.049 (1.244)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002204								
PP002201								
PP002202								
PP002207	0.0625 (1.587)	3.375 (85.725)	10.968 (278.587)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002208								
PP002205								
PP002206	0.0625 (1.587)	4 (101.6)	14.25 (361.95)	0.054 (1.371)	0.14 (3.556)	0.24 (6.096)	0.175 (4.445)	0.25 (6.35)
PP002210								
PP002211								
PP002209								

## Part Number Table

Description	Part Number
40lb. Intermediate Cable Tie, 8", Nylon 6.6, UV Black, PK100	PP002203
40lb. Intermediate Cable Tie, 8", Nylon 6.6, UV Black, PK1000	PP002204
40lb. Intermediate Cable Tie, 8", Nylon 6.6, Natural, PK100	PP002201
40lb. Intermediate Cable Tie, 8", Nylon 6.6, Natural, PK1000	PP002202
40lb. Intermediate Cable Tie, 11", Nylon 6.6, UV Black, PK100	PP002207
40lb. Intermediate Cable Tie, 11", Nylon 6.6, UV Black, PK500	PP002208
40lb. Intermediate Cable Tie, 11", Nylon 6.6, Natural, PK100	PP002205
40lb. Intermediate Cable Tie, 11", Nylon 6.6, Natural, PK500	PP002206
40lb. Intermediate Cable Tie, 14", Nylon 6.6, UV Black, PK100	PP002210
40lb. Intermediate Cable Tie, 14", Nylon 6.6, UV Black, PK500	PP002211
40lb. Intermediate Cable Tie, 14", Nylon 6.6, Natural, PK500	PP002209

**Important Notice :** This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.