muRata Capacitor Data Sheet KCM55LR71H106KH01# "#" indicates a package specification code.

In Production Power AEC- 125 Low acoustic noise Crack Soldering Crack Reflow ROHS REACH

< List of part numbers with package codes > KCM55LR71H106KH01L , KCM55LR71H106KH01K

Shape

L size	6.1 ±0.4mm
W size	5.3 ±0.2mm
T size	2.8 ±0.2mm
Metal terminal width e	1.2±0.2mm

Packaging	Specifications	Minimum quantity
L	φ180mm Embossed taping	400
К	φ330mm Embossed taping	2000

References

	Mass (typ.)	
1 piece		0.34g

Specifications

Capacitance	10µF±10%
Rated voltage	50Vdc
Temperature characteristics (complied standard)	X7R(EIA)
Capacitance change rate	±15%
Temperature range of temperature characteristics	-55 to 125°C
Operating temperature range	-55 to 125°C

\rm Attention

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.