


Pink Wiring Pencil Wire



Description

Enamel Coated Magnet Wire This wire is commonly used for winding inductors, motors or electromagnets in repair, prototype or DIY applications, and is highly popular in educational environments. This wire is commonly used for wrapping inductors, magnets, and motors in DIY projects.

Specifications

Conductor Area CSA	: 0.008mm ²
Conductor Material	: Copper
Conductor Size AWG	: 38 AWG
External Diameter	: 0.15mm
Jacket Colour	: Unjacketed
Jacket Material	: Polyurethane
No. of Max. Strands × Strand Size	: 1 × 0.15mm
Reel Length	: 111ft (34m)
SVHC	: No SVHC
Voltage Rating	: 1.5kV

Part Number Table

Description	Part Number
Pink Wiring Pencil Wire	21-17275

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MCM is the registered trademark of the Group. © Premier Farnell Limited 2016.