

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Antenna cable, outside diameter: 10 mm (0.4 in.), inner conductor: solid, attenuation: 1.0 / 1.5 / 2.2 dB at 0.9 / 2.4 / 5.8 GHz, connection: 2x N (male), cable length: 6 m (20 ft.)



Your advantages

- For outdoor installation
- Low attenuation
- UV resistant

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 046356 685405 |
| GTIN | 4046356685405 |
| Weight per Piece (excluding packing) | 531.600 g |
| Custom tariff number | 85442000 |
| Country of origin | China |
| Note | Made to Order (non-returnable) |

Technical data

Dimensions

| | |
|--------------------|-----|
| Fixed cable length | 6 m |
|--------------------|-----|

Ambient conditions

| | |
|---|------------------|
| Ambient temperature (operation) | -40 °C ... 85 °C |
| Ambient temperature (storage/transport) | -40 °C ... 70 °C |

General

| | |
|-------------------|----------------------|
| Connection 1 | Connector connection |
| Connection method | Type N (male) |
| Note | Both sides |

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Technical data

General

| | |
|------------------------|---------------------|
| Cable type | PFP-400 |
| External sheath, color | black |
| Frequency range | 400 MHz ... 5.8 GHz |
| Impedance | 50 Ω |

Attenuation

| | |
|---------------|--------|
| 868 / 900 MHz | 1 dB |
| 2.4 GHz | 1.5 dB |
| 5 GHz | 2.2 dB |

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally Friendly Use Period = 50 |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27060805 |
| eCl@ss 4.1 | 27060805 |
| eCl@ss 5.0 | 27061805 |
| eCl@ss 5.1 | 27061800 |
| eCl@ss 6.0 | 27061800 |
| eCl@ss 7.0 | 27061805 |
| eCl@ss 8.0 | 27060310 |
| eCl@ss 9.0 | 27060310 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC000019 |
| ETIM 4.0 | EC000019 |
| ETIM 5.0 | EC001682 |
| ETIM 6.0 | EC001682 |
| ETIM 7.0 | EC001682 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 26121608 |
| UNSPSC 7.0901 | 26121608 |
| UNSPSC 11 | 26121608 |
| UNSPSC 12.01 | 26121608 |
| UNSPSC 13.2 | 26121606 |
| UNSPSC 18.0 | 26121606 |
| UNSPSC 19.0 | 26121606 |
| UNSPSC 20.0 | 26121606 |

Antenna cable - RAD-CAB-PFP400-20 - 5606125

Classifications

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 26121606 |
|-------------|----------|