


## Building management system - SUP-UNL-SMA-5YR - 2404193

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Maintenance license (5 years) for the SUP-UNL Emalytics Supervisor license

### Key Commercial Data

|                      |   |
|----------------------|---|
| Packing unit         | 1 pc  |
| GTIN                 | <br>4 0 5 5 6 2 6 3 4 9 4 3 5 |
| GTIN                 | 4055626349435   |
| Custom tariff number | 49119900  |
| Country of origin    | United States   |
| Note                 | Made to Order (non-returnable)  |

### Technical data

#### License information

|                               |                     |
|-------------------------------|---------------------|
| Type of software              | On-premise          |
| Intended use for the software | Automation          |
|                               | Engineering         |
| Type of license               | Maintenance license |
| License duration              | 5 Jahre             |

#### Functions

|                     |                  |
|---------------------|------------------|
| Integrated function | Analysis         |
|                     | Data acquisition |
|                     | Diagnostics      |
|                     | Startup          |
|                     | Communication    |
|                     | Configuration    |
|                     | Configuration    |
|                     | Simulation       |

# Building management system - SUP-UNL-SMA-5YR - 2404193

## Technical data

### Functions

|                       |                |
|-----------------------|----------------|
| Supported controllers | ILC 2050 BI    |
| Number of data points | nicht relevant |

### Hardware requirements

|            |   |
|------------|---|
| Hard disk  | min. 4 GByte (more recommended depending on the archiving requirements) |
| RAM        | min. 1 GByte  |
| Interfaces | 1 x Ethernet (10/100 Mbps), RJ45  |

### Software requirements

|                  |                                  |
|------------------|----------------------------------|
| Operating system | Windows® 10                      |
|                  | Windows® 8.1 Enterprise (64-Bit) |
|                  | Windows® Server 2012 Standard    |
|                  | Windows® Server 2012 R2 Standard |

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |
|------------|---|

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27242590 |
| eCl@ss 4.0    | 27248002 |
| eCl@ss 4.1    | 27248002 |
| eCl@ss 5.0    | 27242502 |
| eCl@ss 5.1    | 27242590 |
| eCl@ss 6.0    | 27242500 |
| eCl@ss 7.0    | 27242590 |
| eCl@ss 8.0    | 27242590 |
| eCl@ss 9.0    | 27242590 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001416 |
| ETIM 3.0 | EC001416 |
| ETIM 4.0 | EC001435 |
| ETIM 5.0 | EC001435 |
| ETIM 6.0 | EC001435 |
| ETIM 7.0 | EC001435 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 43163005 |
| UNSPSC 7.0901 | 43232404 |

# Building management system - SUP-UNL-SMA-5YR - 2404193

## Classifications

### UNSPSC

|              |          |
|--------------|----------|
| UNSPSC 11    | 43163005 |
| UNSPSC 12.01 | 43232404 |
| UNSPSC 13.2  | 43232404 |
| UNSPSC 18.0  | 43233603 |
| UNSPSC 19.0  | 43233603 |
| UNSPSC 20.0  | 43233603 |
| UNSPSC 21.0  | 43233603 |

## Accessories

### Accessories

#### Controller

Controller - ILC 2050 BI - 2403160



The modular Inline controller for automation applications in buildings, infrastructure, and energy for connection with standard automation technology with the Internet of Things (IoT). The controller makes it possible to implement complex systems efficiently.  
Licenses for use in production systems are available separately.