

Products → Low Voltage Products and Systems → Connection Devices → Terminal Blocks Accessories → End Stops

General Information

Extended Product Type:	BADL
Product ID:	1SNA399903R0200
EAN:	3472593999035
Catalog Description:	BADL End Stops - Grey
Long Description:	- Screwless, snaps on rail without tool, - Give efficient support to the SNA t erminal blocks assemblies.

Ordering

Color:	Grey
Minimum Order Quantity:	50 piece
Customs Tariff Number:	85369010

Dimensions

Product Net Width:	9 mm
Product Net Height:	48 mm
Product Net Depth / Length:	28.5 mm
Product Net Weight:	4.7 g

Technical

Spacing:	9 mm
Function:	End Stops
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material:	Polyamide
Mounting on DIN Rail:	TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Recommended Screw Driver:	6.5 mm
Suitable For:	165ETTM5TM5 165LTTM5TM5 BRT BRTC BRU C10/10 C10/10.P C16/12 C2.5/5 C2.5/5.P C2.5/6 C2.5/6.P

C4/6
C4/6.P
C4/6.S
C4/6.SF
C4/6.SFD24
C6/8
C6/8.P
C6/8.ST4
D1.5/4.2L
D1.5/4.2L.2L
D1.5/4.4L
D1.5/4.P.2L
D1.5/4.P.4L
D1.5/6.ADO
D1.5/6.ADO.D
D1.5/6.NT.ADO
D1.5/6.P.ADO
D1.5/6.S.ADO
D1.5/6.SNT2.ADO
D1.5/7.2ADO-CPE
D1.5/7.ADO-CPE
D1.5/8.SF.ADO
D1.5/8.SNN.ADO
D1/5.ADO
D1/5.C2.ADO
D1/5.C3.ADO
D1/5.P.ADO
D1/5.S.ADO
D1/5.SF.ADO
D1/5.SNT2.ADO
D10/10.1.2L
D10/10.1.P.2L
D10/10.2L
D10/10.3L
D10/10.NT.L
D10/10.P.2L
D10/10.P.3L
D16/12.2L
D16/12.3L
D16/12.NT.L
D16/12.P.2L
D16/12.P.3L
D16/12.PEN.2L
D2.5/5.2L
D2.5/5.2L.2L
D2.5/5.3L
D2.5/5.4L
D2.5/5.A.L.L
D2.5/5.A.LL.L
D2.5/5.A.LLP.L
D2.5/5.A.N.L

D2.5/5.A.NL.L
D2.5/5.A.NLP.L
D2.5/5.A.NTLP.L
D2.5/5.ADO
D2.5/5.C3.L
D2.5/5.C4.L
D2.5/5.D2.L
D2.5/5.DD.L
D2.5/5.DE.L
D2.5/5.DE1.D.L
D2.5/5.DE1.L
D2.5/5.DE2.D2.L
D2.5/5.DE2.L
D2.5/5.DL.L
D2.5/5.I.3L
D2.5/5.I.4L
D2.5/5.I.P.3L
D2.5/5.I.P.4L
D2.5/5.L.L
D2.5/5.LL.L
D2.5/5.LLP.L
D2.5/5.N.L
D2.5/5.NL.L
D2.5/5.NLP.L
D2.5/5.NT.L
D2.5/5.NTLP.L
D2.5/5.P
D2.5/5.P.2L
D2.5/5.P.3L
D2.5/5.P.4L
D2.5/5.P.ADO
D2.5/5.S.ADO
D2.5/5.SB.2L
D2.5/5.SB.4L
D2.5/5.SFA.ADO
D2.5/5.SN.ADO
D2.5/5.SNB.2L
D2.5/5.SNB.4L
D2.5/5.SNBT.2L
D2.5/5.SNBT.4L
D2.5/7.2ADO-CPE
D2.5/7.ADO-CPE
D2.5/8.ADO
D2.5/8.NT.ADO
D2.5/8.P.ADO
D2.5/8.S.ADO
D2.5/8.SF.2L
D2.5/8.SF.ADO2
D2.5/8.SNNT.ADO2
D2.5/8.SNT.2L
D2.5/8.SNT2.ADO

D35/16.2L
D35/16.NT.L
D35/16.PEN.2L
D4/6.2L
D4/6.3L
D4/6.4L
D4/6.ADO
D4/6.LNTP
D4/6.LNTP.L
D4/6.NT.L
D4/6.P
D4/6.P.2L
D4/6.P.3L
D4/6.P.4L
D4/6.P.ADO
D4/6.S.ADO
D4/6.SN.ADO
D4/6.SNT2.ADO
D4/7.2ADO-CPE
D4/7.ADO-CPE
D4/8.ADO
D4/8.P.ADO
D4/8.S.2A.ADO2
D4/8.S.ADO
D4/8.SF.I.ADO
D4/8.SN.ADO
D4/8.SN.I.ADO
D6/10.SNBTB
D6/8.2L
D6/8.3L
D6/8.ADO
D6/8.ADO.RS
D6/8.NT.L
D6/8.P
D6/8.P.2L
D6/8.P.3L
D6/8.P.ADO
D6/8.ST.RS
DBL
DS1.5/6.ADO
DS1/5.ADO
DS2.5/10.4L
DS2.5/5.2L
DS2.5/5.ADO
DS2.5/8.ADO
DS2.5/8.P.ADO
DS4/6.ADO
DS4/8.A.ADO3
DS4/8.A.P.ADO3
DS4/8.ADO
DS4/8.P.ADO

DSE1.5/6.ADO
DSE1/5.ADO
DSE2.5/5.ADO
DSE2.5/8.ADO
DSE4/6.ADO
DSE4/8.A.ADO3
DSE4/8.ADO
DSE4/8.ADO3
ES8-CG
M10/10
M10/10.NT
M10/10.P
M10/10.PE.N
M10/10.RS
M10/10.ST-Sn
M10/12.5.STI-Sn
M10/16.SF
M10/16.SN
M16/12
M16/12.NT
M16/12.P
M16/12.PE.N
M35/16
M35/16.2A.2G
M35/16.NT
M35/16.P
M35/16.PE.N
M4/6
M4/6.3A
M4/6.3A.NC
M4/6.3A.P
M4/6.4A
M4/6.4A.P
M4/6.NC
M4/6.NT
M4/6.P
M4/6.P.NC
M4/6.RS
M4/6.S
M4/6.SB
M4/6.SBT.4A
M4/6.SNB
M4/6.SNBT
M4/6.SNTS
M4/6.ST
M4/8
M4/8.5.STI
M4/8.SF
M4/8.SF.NC
M4/8.SN
M6/13.FF

M6/8
M6/8.NC
M6/8.NT
M6/8.P
M6/8.P.NC
M6/8.RS
M6/8.S
M6/8.SB
M6/8.SNB
M6/8.ST
M6/8.STP
M6/8.STP.RS
M6/9.EE
MA2.5/5
MA2.5/5.NT
MA2.5/5.P
MA2.5/5.SB
MA2.5/5.SNB
MA2.5/5.SNBT
MA2.5/5-2CPE
MA2.5/5-CPE
MA2.5/5-SFA-CPE
MA2.5/5-SNB-CPE
MB10/12.SF
MB10/22.SF
MB10/22.SN
MB10/24.SF
MB25/30.SF
ML10/13.SF
ML10/13.SN
MS4/6
MS6/8
MTC6
MU10/13.SF
MU10/13.SN
MU10/14.5.SF
MU10/14.5.SN

Technical UL/CSA

Flammability According to UL94: V0

Environmental

Ambient Air Temperature: Operation -55 ... +110 °C
Storage -55 ... +110 °C

RoHS Status: Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SND225001C1009

Classifications

Object Classification Code:	X
E-nummer:	2925699
ETIM 4:	EC001041 - End bracket for terminal block
ETIM 5:	EC001041 - End bracket for terminal block
ETIM 6:	EC001041 - End bracket for terminal block

Container Information

Package Level 1 Units:	50 piece
Package Level 1 Width:	200 mm
Package Level 1 Depth / Length:	300 mm
Package Level 1 Height:	5 mm
Package Level 1 Gross Weight:	0.235 kg
Package Level 1 EAN:	3472593999035
Package Level 2 Units:	1500 piece
Package Level 2 Width:	300 mm
Package Level 2 Depth / Length:	500 mm
Package Level 2 Height:	300 mm
Package Level 3 Units:	36000 piece
Product Packing Type:	Bag

