

PRODUCT-DETAILS

CT-ERE

CT-ERE Time relay, ON-delay 1c/o, 3-300s, 24VAC/DC 220-240VAC



General Information

| | |
|-----------------------|--|
| Extended Product Type | CT-ERE |
| Product ID | 1SVR550107R2100 |
| EAN | 4013614346217 |
| Catalog Description | CT-ERE Time relay, ON-delay 1c/o, 3-300s, 24VAC/DC 220-240VAC |
| Long Description | The CT-ERE is a single-function electronic time relay from the CT-E timer range. It provides an ON-delay (delay on make) function with a time range from 3 s to 300 s. This time relay operates with a rated control supply voltage of 24 V AC / DC / 220 - 240 V AC and has a 1 c/o (SPDT) output rated at 250 V / 4 A. |

Ordering

| | |
|------------------------------|-----------------|
| EAN | 4013614346217 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85364900 |
| Replacement Product ID (NEW) | 1SVR508100R0000 |

Container Information

| | |
|--------------------------------|---------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 84.2 mm |
| Package Level 1 Depth / Length | 24.6 mm |
| Package Level 1 Height | 83.1 mm |

| | |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 0.078 kg |
| Package Level 1 EAN | 4013614346217 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 22.5 mm |
| Product Net Height | 78 mm |
| Product Net Depth / Length | 78.5 mm |
| Product Net Weight | 0.067 kg |

Technical

| | |
|---|--|
| Timer Relay Type | ON-Delay |
| Time Range | 3 ... 300 s |
| Rated Control Supply Voltage (U _s) | 220 ... 240 V AC 24 V AC/DC |
| Output | 1 c/o (SPDT) contact |
| Terminal Type | Screw Terminals |
| Rated Operational Current AC-12 (I _e) | (230 V) 4 A |
| Rated Operational Current AC-15 (I _e) | (230 V) 3 A |
| Rated Operational Current DC-12 (I _e) | (24 V) 4 A |
| Rated Operational Current DC-13 (I _e) | (24 V) 2 A |
| Mounting Position | Any |
| Mounting on DIN Rail | TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 |
| Standards | CAN/CSA C22.2 No.14 EN 50581 IEC/EN 61812-1 UL 508 |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|--------------------------|
| CB Certificate | CB_DK-8575 |
| CCC Certificate | CCC_2010010303393101 |
| cUL Certificate | cUL508_E140448 |
| Data Sheet, Technical Information | 2CDC111143D0201 |
| Declaration of Conformity - CE | 1SVD981002-0001 |
| DNV GL Certificate | DNV_GL_TAA00000F2 |
| EAC Certificate | EAC_RU_C-DE.ME77.B.02016 |
| Environmental Information | 1SAA981011-2402 |
| Instructions and Manuals | 1SVC550000M9000 |
| RMRS Certificate | RMRS_1740021250 |
| RoHS Information | 1SVD981002-0001 |
| UL Certificate | UL508_E140448 |

Classifications

| | | |
|----------------------------|------------------------|---|
| Object Classification Code | | K |
| ETIM 4 | EC001439 - Timer relay | |
| ETIM 5 | EC001439 - Timer relay | |
| ETIM 6 | EC001439 - Timer relay | |
| ETIM 7 | EC001439 - Timer relay | |
| eClass | 7.0 27371790 | |
| UNSPSC | 39121519 | |
| E-Number (Sweden) | 4033076 | |

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Time Relays

