

TECHNICAL DATA SHEET

Part#: 3C-TA

Tweezers - 4 Star Straight Very Fine Point - Titanium Alloy
Designed for work under magnification - Solder will not adhere to tool -
Light weight


The 3C-TA titanium alloy tweezers are designed for high temperature applications (806°F (430°C)). They are also very light and have high resistance to most acids. They have zero magnetic retentivity and solder will not stick to them. They feature our hardest points.

• Precision Level	★★★★
• Material	Titanium Alloy
• Surface Resistivity	Conductive
• Shape	Straight
• Tip Size	.005" x .0031" (.17mm x .12mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.375" (9.38mm)
• Body Height	.06" (1.5mm)
• OAL	4.25" (106.25mm)
• Weight (OZ)	1
• UPC	662847002571
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	Titanium



C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)

3C-TA ★★★★★



EXCELTA[®]
CORPORATION

- A) 0.0051"
- B) 0.0031"
- C) 0.375"
- D) 4.25"
- E) 0.060"