# MEDICAL WALL MOUNT INTERCHANGEABLE BLADE POWER SUPPLY 5VDC 15 WATT





STONTRONICS: UES18SCP-050300SPA

### Features:

- Interchangeable AC Heads
- 1 Year Warranty
- Level VI Efficiency
- Worldwide Approvals

### **Description:**

Our range of 15 Watt Medical Interchangeable wall plug power supplies provide 15 Watts of continuous power with the flexibility of worldwide usage as they are supplied with UK, Euro, USA & Auz AC Heads , all Efficiency Level VI and carry worldwide safety approvals.

Specification				
Part Code	y-o o#h oh°			
Input Voltage Range	90-264 Vac			
Input Frequency Range	50-60Hz			
Input Current Rated	0.1A Max			
Input AC Heads	UK, Euro, USA & Auz			
Output Voltage Rating	+5V			
Output Current Range	3.0A			
Output Min Current	0.A			
Output Connection Type	2.1x5.5x12mm centre positive – Right angle			
Total Output Regulation	+/- 5%			
Line and Load Regulation	+/- 5%			
Ripple & Noise	200mVp-p			
Efficiency	85.45%Min			
Over Voltage Protection	The power supply shall be normal operated automatically when the over current protection is removed			
Over Load Protection	Auto Recovery			
Operating Temperature	0°C to +40°C			
Storage Temperature	-20°C to +60°C			
Operating Humidity	10% to 90%			
Storage Humidity	5% to 90%			
Hi-Pot	Primary to Secondary :AC 3000Vrms, 4 mA , 1 minute for type test			
Leakage Current	less than 0.1mA at 264 Vac, 50Hz.			
Safety Standard	Meet IEC60601 ES60601 EN60601 RCM.			
EMI Standard	Meets CE(EN55022)			
MTBF	50K Hours			
Size mm max.	88.0(L) x 30(W) x 57(H)			
Weight	64g			


# MEDICAL WALL MOUNT INTERCHANGEABLE BLADE POWER SUPPLY 5VDC 15 WATT



STONTRONICS: UES18SCP-050300SPA

## **Diagrams**


-30.0±0.5-






88.0±0.5







ø2.1 <sup>+0.1</sup> ø5.5±0.05

# MEDICAL WALL MOUNT INTERCHANGEABLE BLADE POWER SUPPLY 5VDC 15 WATT



STONTRONICS: UES18SCP-050300SPA

Issue	Change Description	Approval	Date
1	Change created		19/09/18
2	MW Amend		16/10/19

### **STONTRONICS**