

GCJ188L8YA333KA01#

Note: This datasheet may be out of date.

Please download the latest datasheet of GCJ188L8YA333KA01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GCJ188L8YA333KA01%23

"#" indicates a package specification code.

















< List of part numbers with package codes > GCJ188L8YA333KA01D GCJ188L8YA333KA01J



Appearance & Shape







References

	Specifications	Standard
Packaging		Packing
		Quantity
D	180mm Paper Tape	4000
J	330mm Paper Tape	10000

Mass (typ.)		
1 piece	6.3mg	
φ180mm Reel	144g	



Notices

Resin external electrode products

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





GCJ188L8YA333KA01#

Note: This datasheet may be out of date.

Please download the latest datasheet of GCJ188L8YA333KA01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GCJ188L8YA333KA01%23

"#" indicates a package specification code.



Specifications

Length	1.6±0.2mm
Width	0.8±0.1mm
Thickness	0.8±0.1mm
Capacitance	33000pF ±10%
Distance between external terminals g	0.5mm min.
External terminal size e	0.2 to 0.5mm
Operating Temperature Range	-55°C to 150°C
Rated Voltage	35Vdc
Size code in inch(mm)	0603 (1608M)
Capacitance change rate	+15.0/-40.0%
Temperature characteristics (complied standard)	X8L(MURATA)
Temperature range of temperature characteristics	-55°C to 150°C

2 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Please download the latest datasheet of GCJ188L8YA333KA01# from the official website of Murata Manufacturing Co., Ltd.

Note: This datasheet may be out of date.


"#" indicates a package specification code.


GCJ188L8YA333KA01#




Characteristic Data


The charts below may show another part number which shares its characteristics.







GCJ188L8YA333KA01 C-DC bias capchange, 25.0degC, AC1.



GCJ188L8YA333KA01 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






GCJ188L8YA333KA01#

Note: This datasheet may be out of date.


Please download the latest datasheet of GCJ188L8YA333KA01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GC.I188L8YA333KA01%23

"#" indicates a package specification code.



GCJ188L8YA333KA01 C-Temp. capchange, DCO.OV, AC1.OVrm



GCJ188L8YA333KA01 S21 DCOV, 25degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

