

Z-PACK | Z-PACK 2mm HM

TE Internal #: 2392920-1

Z-PACK 2mm HM, Hard Metric Backplane Connectors, PCB Mount

Receptacle, ≤1 Gb/s, 19 Column, 5 Row, Traditional Backplane,

Board-to-Board, 95 Position


View on TE.com >




Connectors > PCB Connectors > Backplane Connectors > Hard Metric Connectors











PCB Connector Assembly Type: PCB Mount Receptacle

Data Rate: ≤1 Gb/s

Number of Columns: 19

Number of Rows: 5

Backplane Architecture: Traditional Backplane

Features

Product Type Features

Connector SystemBoard-to-BoardConnector & Contact Terminates ToPrinted Circuit BoardConfiguration FeaturesNumber of Columns19Number of Rows5Backplane ArchitectureTraditional BackplaneNumber of Positions95PCB Mount OrientationRight AngleSignal Characteristics≤1 Gb/s	PCB Connector Assembly Type	PCB Mount Receptacle
Configuration Features Number of Columns 19 Number of Rows 5 Backplane Architecture Traditional Backplane Number of Positions 95 PCB Mount Orientation Right Angle Signal Characteristics	Connector System	Board-to-Board
Number of Columns19Number of Rows5Backplane ArchitectureTraditional BackplaneNumber of Positions95PCB Mount OrientationRight AngleSignal Characteristics	Connector & Contact Terminates To	Printed Circuit Board
Number of Rows 5 Backplane Architecture Traditional Backplane Number of Positions 95 PCB Mount Orientation Right Angle Signal Characteristics	Configuration Features	
Backplane Architecture Number of Positions 95 PCB Mount Orientation Right Angle Signal Characteristics	Number of Columns	19
Number of Positions 95 PCB Mount Orientation Right Angle Signal Characteristics	Number of Rows	5
PCB Mount Orientation Right Angle Signal Characteristics	Backplane Architecture	Traditional Backplane
Signal Characteristics	Number of Positions	95
	PCB Mount Orientation	Right Angle
Data Rate ≤1 Gb/s	Signal Characteristics	
	Data Rate	≤1 Gb/s

None

Gold (Au)

Contact Features

CompactPCI Designation

Contact Mating Area Plating Material



Contact Current Rating (Max)	1.5 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2 mm
Housing Color	Gray
Usage Conditions	
Operating Temperature Range	-55 – 125 °C
Operation/Application	
Circuit Application	Signal
Industry Standards	
AdvancedTCA Specified Product	No
Packaging Features	
Packaging Method	Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | Z-PACK 2mm HM



Backplane Coding Keys(60)



Backplane Connector Housings(4)



Backplane Guide Hardware(37)



Backplane Power Connectors(6)



Board-to-Board Connector Contacts(2)



Hard Metric Backplane Connectors (269)



Insertion & Extraction Tools(2)



PCB Connector Covers(4)



PCB Connector Shrouds(39)



PCB Ferrules & Shields(19)



PCB Latches, Locks & Retainers(1)



Rectangular Power Connectors(87)

Documents

Product Drawings



Z-PACK A/B RECPT ASSY 95P 2MM EON

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2392920-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2392920-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2392920-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English