

Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of RCE5C2J221J1K1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RCE5C2J221J1K1H03B

RCE5C2J221J1K1H03B



Appearance & Shape



Coating extension does not exceed the end of the lead bend. Lead Wire : Solder Coated Copper Wire or Solder Coated CP Wire (in mm)



Packaging		Standard Packing Quantity
В	Bulk(Bag)	500

Mass (typ.)		
1 piece	0.11g	



HF(Halogen Free)

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





RCE5C2J221J1K1H03B

Note: This datasheet may be out of date. Please download the latest datasheet of RCE5C2J221J1K1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RCE5C2J221J1K1H03B

Specifications

L size or Outer diameter D	4.0mm max.		
Width	3.5mm max.		
T size	3.15mm max.		
Lead spacing F	5.0±0.8mm		
Lead diameter d	0.5±0.05mm		
Capacitance	220pF ±5%		
Rated voltage	630Vdc		
Temperature characteristics	C0G(EIA)		
Temperature range of temperature characteristics	-55°C to 125°C		
Operating Temperature Range	-55°C to 125°C		
тс	25 to 125℃:0±30ppm/℃ -55 to 25℃:0+30/-72ppm/℃		
W1 size	5.0mm max.		

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of RCE5C2J221J1K1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RCE5C2J221J1K1H03B

RCE5C2J221J1K1H03B

Characteristic Data

The charts below may show another part number which shares its characteristics.



RCE5C2J221J1K1HO3B C-DC bias capchange, 25.(

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of RCE5C2J221J1K1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RCE5C2J221J1K1H03B

RCE5C2J221J1K1H03B



4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

