

1 5 1 01 1

Note: This datasheet may be out of date.

Please download the latest datasheet of RDE5C2E222J1K1H03B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RDE5C2E222J1K1H03B

RDE5C2E222J1K1H03B
























Appearance & Shape





Coating extension does not exceed the end of the lead bend.
 Lead Wire: Solder Coated Copper Wire or
 Solder Coated Copper Wire
 (in mm)

References

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.11g



HF(Halogen Free)

1 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ RDE5C2E222J1K1H03B\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RDE5C2E222J1K1H03B

RDE5C2E222J1K1H03B



Specifications

L size or Outer diameter D	4.5mm max.	
Width	3.5mm max.	
T size	3.15mm max.	
Lead spacing F	5.0±0.8mm	
Lead diameter d	0.5±0.05mm	
Capacitance	2200pF ±5%	
Rated voltage	250Vdc	
Temperature characteristics	C0G(EIA)	
Temperature range of temperature characteristics	-55°C to 125°C	
Operating Temperature Range	-55°C to 125°C	
тс	25 to 125°C : 0±30ppm/°C -55 to 25°C : 0+30/-72ppm/°C	
W1 size	5.0mm max.	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.

Please download the latest datasheet of RDE5C2E222J1K1H03B from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=RDE5C2E222J1K1H03B


RDE5C2E222J1K1H03B





Characteristic Data

The charts below may show another part number which shares its characteristics.









RDE5C2E222J1K1HO3B C-Temp. capchange, DCOV,

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Product Search Data Sheet

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ RDE5C2E222J1K1H03B\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=RDE5C2E222J1K1H03B

RDE5C2E222J1K1H03B



RDE5C2E222J1K1H03B S21 DCOV,25degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

