



Stellaris® LM3S9B92 Ethernet+USB-OTG Evaluation Kit

LUMINARY MICRO

The Stellaris® LM3S9B92 Ethernet+USB-OTG Evaluation Kit provides a low-cost evaluation platform for the LM3S9B92 ARM® Cortex™-M3-based microcontroller. The kit includes two boards: the EK-LM3S9B92 evaluation board, and the BD-ICDI In-Circuit Debug Interface board. The evaluation board design highlights the LM3S9B92 microcontroller's 10/100 Mbit Ethernet port, full-speed USB-OTG port, In-Circuit Debug Interface (ICDI) board, and easy connection to the GPIO ports.



Features

The evaluation board uses the LM3S9B92 microcontroller which features advanced motion control including eight PWM outputs for motion and energy and two Quadrature Encoder Inputs (QEI) modules. The LM3S9B92 microcontroller also features an external 16 MHz crystal that provides the main oscillator clock which can directly drive the ARM core clock or an internal PLL to increase the core clock up to 80 MHz. A 25 MHz crystal is used for the Ethernet clock. The LM3S9B92 microcontroller also has an internal LDO voltage regulator that supplies power for internal use.

The Stellaris EK-LM3S9B92 evaluation board includes the following features:

- Stellaris LM3S9B92 high-performance microcontroller with large memory
 - 32-bit ARM® Cortex™-M3 core
 - 256 KB main Flash memory, 96 KB SRAM, and 23.7 KB ROM
- Ethernet 10/100 port with two LED indicators
- USB 2.0 Full-Speed OTG port
- Virtual serial communications port capability

- Oversized board pads for GPIO access
- User pushbutton and LED
- Detachable In-Circuit Debug Interface (BD-ICDI) board can be used for programming and debugging other Luminary Micro boards

Kit Contents

The EK-LM3S9B92 evaluation kit includes:

- EK-LM3S9B92 Evaluation Board (EVB)
- BD-ICDI In-Circuit Debug Interface Board
- Cables
 - USB cable
 - 10-pin ribbon cable for JTAG
 - 8-pin ribbon cable for power/UART connection
- Evaluation Kit CD containing:
 - Complete documentation
 - Complete source code, schematics, and PCB gerber files
 - StellarisWare™ software including peripheral driver library and example source code
 - A supported evaluation version of one of the following:
 - Keil™ RealView® Microcontroller Development Kit (MDK-ARM)
 - IAR Embedded Workbench® development tools
 - Code Sourcery GCC development tools
 - Code Red Technologies Red Suite

Ordering Information

Product Number	Description
EKK-LM3S9B92	Stellaris® LM3S9B92 Low-Cost Evaluation Kit for Keil™ RealView® MDK-ARM (16 KB code-size limited)
EKI-LM3S9B92	Stellaris® LM3S9B92 Low-Cost Evaluation Kit for IAR Systems Embedded Workbench® (32 KB code-size limited)
EKC-LM3S9B92	Stellaris® LM3S9B92 Low-Cost Evaluation Kit for CodeSourcery G++ GNU (30-day limited)
EKT-LM3S9B92	Stellaris® LM3S9B92 Low-Cost Evaluation Kit for Code Red Technologies Red Suite (board-locked)

Luminary Micro, Inc. • 108 Wild Basin, Suite 350 • Austin, TX 78746
Main: +1-512-279-8800 • Fax: +1-512-279-8879 • <http://www.luminarymicro.com> • sales@luminarymicro.com

Copyright © 2009 Luminary Micro, Inc. All rights reserved. Stellaris, Luminary Micro, and the Luminary Micro logo are registered trademarks, and StellarisWare is a trademark of Luminary Micro, Inc. or its subsidiaries in the United States and other countries. ARM and Thumb are registered trademarks, and Cortex is a trademark of ARM Limited. Other names and brands may be claimed as the property of others.

PB-LM3S9B92EK-00



LUMINARY MICRO



Intelligent Processors by ARM