## Johanson Product Information for SCDP502W221K4GV001E

JOHANSON

Johanson Company: Johanson Dielectrics inc. Product Release Date: 04 January, 2006 Deprecated P/N: 502R29W221KV3E-\*\*\*\*-SC Web Page Link: https://www.johansondielectrics.com/ac-safety-Datasheet Date: 04-15-2024 capacitors Description: Capacitors Safety Caps, X1/Y2, 1808, Size for Capacitors (EIA): 1808 X7R, 5000V, 220pF±10%, Ni/Sn (RoHS), 7" Reel **Embossed Tape** Specification Number: UL60950, EN/UL/IEC60384-14 Life Cycle Stage: Active - Production Thickness (Max): 0.085 Schedule B: 8532 End Band (Min): ECCN: EAR99 End Band (Max): RoHS Compliance: Yes, RoHS 10/10 Standard Item: 1 REACH: 1 Lead Time Typical (Weeks)\*: \*This can vary significantly so it is important Country of Origin: TW to obtain a quotation with lead time for production planning purposes. 10 **Product Family: Capacitors** Length (Min): 0.170 Product Subfamily: Capacitors Safety Caps Length (Max): 0.200 Capacitance Value: 220.000 Width (Min): 0.065 Cap Unit of Meas: pF Width (Max): 0.095 Tolerance: ±10% Packaging: 7" Reel Embossed Tape Voltage: 5000.0 Packaging Qty: 2000 Dielectric Temp Coefficient: X7R Operating Temp Range: -55°C to +125°C **Termination: 68** Storage Temp Range (Packaged): -65°C to Marking: Required Safety Mark +125°C Storage Temp Range (Non Operating): +5°C to +40°C with RH 20% to 70%

JOHANSON