



Johanson Product Information for SCEF502W222K4GV001E

Johanson Company: Johanson Dielectrics inc.

Product Release Date: 03 January, 2006

Deprecated P/N: 502S47W222KV3E-****-SC

Web Page Link:

Datasheet Date: 04-15-2024

https://www.johansondielectrics.com/ac-safety-

capacitors

Size for Capacitors (EIA): 2220

X7R, 5000V, 2200pF±10%, Ni/Sn (RoHS), 7" Reel

Description: Capacitors Safety Caps, X1/Y2, 2220,

Embossed Tape

Specification Number:

Life Cycle Stage: Active - Production

UL60950,EN/UL/IEC60384-14

Schedule B: 8532

Thickness (Max): 0.150

ECCN: EAR99

End Band (Min):

LOON. L/ 11100

End Band (Max):

RoHS Compliance: Yes, RoHS 10/10

Standard Item: 1

REACH: 1

Product Family: Capacitors

Product Subfamily: Capacitors Safety Caps

Lead Time Typical (Weeks)*:

*This can vary significantly so it is important to obtain a quotation with lead time for production planning purposes. 10

Length (Min): 0.210

Capacitance Value: 2200.000

Length (Max): 0.240

Cap Unit of Meas: pF

Width (Min): 0.185

Tolerance: ±10%

Width (Max): 0.215

Voltage: 5000.0

Packaging: 7" Reel Embossed Tape

Packaging Qty: 1000

Termination: 68

Operating Temp Range: -55°C to +125°C

Marking: Required Safety Mark

Dielectric Temp Coefficient: X7R

Storage Temp Range (Packaged): -65°C to

+125°C

Storage Temp Range (Non Operating): +5°C to

+40°C with RH 20% to 70%