

AS09008PO-11-WR-R

SPEAKER 5W 80HM 85DB 180HZ

SYMBOL, FOOTPRINT, 3D MODEL

| | |
|--------------------------------|------------------------------|
| <p>Specifications</p> | <p>Request Sample</p> |
| <p>RoHS & REACH</p> | <p>Request Quote</p> |

Dimensions & Specifications

| | |
|----------------------------|-------------------|
| Height | 38.5mm |
| Width | 50mm |
| Length | 90mm |
| Operating Temp. | -20.00° to 65.00° |
| Shape | Oval |
| Device Type | Speaker |
| Impedance (Ohms) | 8 |
| Resonant Freq (kHz) | 0.18 |

Distributor Availability

| Distributor | Current Stock | |
|----------------------|---------------|-------------------------|
| PUI | 0 | BUY NOW |
| Avnet | 0 | BUY NOW |
| DigiKey | 339 | BUY NOW |
| Sager Electronics | 0 | BUY NOW |
| Mouser Electronics | 761 | BUY NOW |
| Onlinecomponents.com | 0 | BUY NOW |

(W)

Temp. Grade Standard

IP Rated - N/A -

Diaphragm Material Treated
Paper

Magnet Material Ferritre

Tolerance (dB) 3

Resonant Freq 20

Tolerance (%)

Freq Min (kHz) 0.18

Freq Max (kHz) 10

Capacitance (pF) - N/A -

Capacitance

Tolerance (%) - N/A -

Input Power Max

(W) 8

Impedance 15

Tolerance (%)

Weight (g) 98


Additional Features Water
Resistant

Innovation is never static

Need something specific? We do that. Connect with us about custom solutions.

Additional Products

[SEE ALL SPEAKERS & RECEIVERS](#)



**AS02008M
R-LW152-R**

Device Type:
Speaker

Impedance
(Ohms): 8

Rated Input
Power (W):
0.5

Dimensions:
3 x 20 x 20 (H
x W x L)



**AS01508M
R-6-LW100-
R**

Device Type:
Speaker

Impedance
(Ohms): 8

Rated Input
Power (W):
1.2

Dimensions:
4.4 x 15 x 15
(H x W x L)



**AS01808M
S-SP18-
WP-R**

Device Type:
Speaker

Impedance
(Ohms): 8

Rated Input
Power (W):
0.5

Dimensions:
2.5 x 13 x 18
(H x W x L)



**AS02708CO
-WR-R**

Device Type:
Speaker

Impedance
(Ohms): 8

Rated Input
Power (W): 1

Dimensions:
6 x 20 x 27 (H
x W x L)

Stay tuned to PU
Audio



Email Address

I'm not a robot

SIGN UP

FIND

Find a Product

Find a Representative

Find a Distributor

Find an Industry

LEARN

FAQs

Resource Library

Latest News

Audio Simulator

Custom Solutions

Educational Outreach

DISCUSS

Contact

Meet with an Engineer

Request a Quote

Request a Sample

PRODUCTS

Microphones

Speakers & Receivers

Indicators

Benders

Haptics

Transducers

INDUSTRIES

Medical

Security

Industrial

Consumer

COMPANY OVERVIEW

Company Overview

Accessibility Statement

1202 E. Willow Springs Rd.
Fairborn, OH 45324

(937) 415-5901

