

Part Number: 5047542520

**Product Description :** 0.30mm Pitch Easy-On Back Flip FPC Connector, LA75 Series, Right-Angle, Surface Mount, Dual Contact Style,

0.75mm Height, 25 Circuits

Status: Active

Series Number: 504754

**Product Category:** FFC / FPC Connectors

#### **Documents & Resources**

#### **Drawings**

Drawing 5047542520\_sd.pdf

3D Models and Design Files

3D Model 5047542520\_stp.zip

### Specifications

Application Specification AS-504754-002-001.pdf Packaging Specification 5047549200-200.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

# **Part Details**

## General

Status	Active
Category	FFC / FPC Connectors
Series	504754
Description	0.30mm Pitch Easy-On Back Flip FPC Connector, LA75 Series, Right- Angle, Surface Mount, Dual Contact Style, 0.75mm Height, 25 Circuits
Series Name	LA75
Product Family	Easy-On FFC FPC Connectors
Product Name	Easy-On
UPC	889056511476

## Electrical

Current - Maximum per Contact	0.3A
Voltage - Maximum	50V

# Physical

Actuator Type	Back Flip
Actuator Type	Васктир
Circuits (Loaded)	25
Circuits (maximum)	25
Color - Resin	Black
Contact Position	Dual
Durability (mating cycles max)	10
Mated Height	0.75mm
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Resin	Liquid Crystal Polymer
Net Weight	31.603/mg
Orientation	Right Angle
Packaging Type	Embossed Tape on Reel

PCB Locator	No
PCB Mounting	Surface Mount
PCB Retention	None
Pitch - Mating Interface	0.30mm
Pitch - Termination Interface	0.30mm
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire/Cable Type	FPC only

This document was generated on Jul 22, 2024