

GRM21A5C2E681FWA1J




< List of part numbers with package codes > GRM21A5C2E681FWA1D GRM21A5C2E681FWA1J

Applications

Unsuitable Please be sure to read and comply v	/ith		
Applications these "Precautions for use."	these "Precautions for use."		
Specific Applications Specific Applications Please refer to Our Website and specifications, etc. for information ab the performance, functions, quality, management, and safety required fo the above applications, and use Products after confirming the performance and reliability of the act Product.	out		

Appearance & Shape





Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of GRM21A5C2E681FWA1# from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=GRM21A5C2E681FWA1%23

"#"at the end indicates the package specification code.

References

	Specifications	Standard
Packaging		Packing
		Quantity
D	φ180mm Reel Paper Tape	4000
J	φ330mm Reel Paper Tape	10000

Mass (typ.)	
1 piece	12.0mg

1 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of GRM21A5C2E681FWA1# from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=GRM21A5C2E681FWA1%23

GRM21A5C2E681FWA1J

"#"at the end indicates the package specification code.



Specifications

Length	2.0±0.2mm
Width	1.25±0.2mm
Thickness	1.0+0/-0.3mm
Capacitance	680pF ±1%
Distance between external terminals g	0.7mm min.
External terminal size e	0.3mm min.
Operating Temperature Range	-55℃ to 125℃
Rated Voltage	250Vdc
Size code in inch(mm)	0805 (2012M)
TC	0±30ppm/°C
Temperature characteristics (complied standard)	C0G(EIA)
Temperature range of temperature characteristics	25℃ to 125℃

2 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

