
Backplate, Steel





View on TE.com >

Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Mounting

Connector Hardware Accessory Type: Backplate

Primary Product Material: Steel

Operating Temperature (Max): 100 °C

Operating Temperature Range: -40 – 100 °C

## **Features**

## **Product Type Features**

Hardware Accessory Function	Mounting
Connector Hardware Accessory Type	Backplate
Body Features	
Insulator Material	Polycarbonate Film Plus Acrylic Adhesive Layer
Primary Product Plating Material	Nickel
Primary Product Material	Steel
Dimensions	
Product Width	82.1 mm
Product Height	108.4 mm
Usage Conditions	
Operating Temperature (Max)	100 °C
Operating Temperature Range	-40 – 100 °C
Packaging Features	
Packaging Method	Box & Tray



## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts



# Customers Also Bought





TE Part #6123001-1 0.8FH,P08H.5,040,30/Sn,TR,SC



MULTI-BEAM HD R/A PLUG 2P

= TE

TE Part #1-2324271-3
RIGHT SEGMENT LGA4189-4
SOCKETP4 FOR ODM





TE Part #2-2330550-1 SOCKET P4 BOLSTER PLATE ASSY, W /O COVER



TE Part #2405568-1 LGA4710 TFLM ASSEMBLY W/O COVER



TE Part #2405570-2 LGA4710 E2B CARRIER ASSY



TE Part #2-2328461-1 280 POS., CONNECTOR ASSEMBLY, SLIVER 2.0

TE Part #2274483-6 USB 3.0 RA RECEPTACLE

## **Documents**

## **Product Drawings**

LGA4710 BACKPLATE ASSY, SHORT STUD

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_2405569-1\_A.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2405569-1\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2405569-1\_A.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.