



DHS-U1-BKWH

- Without electrical connection
- Door handle in an ergonomical design
- Can be combined with solenoid interlock AZM40 or safety sensor RSS260
- Can also be used without safety switchgear device
- For left or right hinged safety guards

Data

Ordering data

Product type description	DHS-U1-BKWH
Article number (order number)	103053675
EAN (European Article Number)	4030661640457
eCl@ss number, version 12.0	27-33-01-90
eCl@ss number, version 11.0	27-33-01-90
eCl@ss number, version 9.0	27-33-01-90
ETIM number, version 7.0	EC000229
ETIM number, version 6.0	EC000229

Approvals - Standards

Certificates	cULus
--------------	-------

General data

Standards	EN IEC 60947-5-1
Housing material	Glass-fibre, reinforced thermoplastic
Material of the handle	translucent PMMA

Gross weight	227 g
Material of the holder	Glass-fibre, reinforced thermoplastic

Mechanical data

Type of the fixing screws	2x M6
Tightening torque of the screw	3.5 Nm
Type of mounting screws for the handle body	2x Torx Plus T20x25
Tightening torque of mounting screws for the handle body	2.5 Nm

Mechanical data - Dimensions

Length	202 mm
Width	40 mm
Height	84 mm

Ambient conditions

Degree of protection	IP66 IP67 IP69
----------------------	----------------------

Scope of delivery

Note (scope of delivery, number and type)	The insert for use with the safety sensor RSS260 or without integrated actuator must be ordered separately.
---	---

Pictures

Product picture (catalogue individual photo)



ID: kdhs-f29

| 379.3 kB | .jpg | 352.778 x 833.967 mm - 1000 x 2364 px - 72 dpi

| 59.4 kB | .png | 74.083 x 174.978 mm - 210 x 496 px - 72 dpi

| 12.3 kB | .jpg | 52.211 x 123.472 mm - 148 x 350 px - 72 dpi

Detail photo



ID: kdhs-f30

| 387.7 kB | .jpg | 352.778 x 833.967 mm - 1000 x 2364 px - 72 dpi

| 60.8 kB | .png | 74.083 x 174.978 mm - 210 x 496 px - 72 dpi

| 12.4 kB | .jpg | 52.211 x 123.472 mm - 148 x 350 px - 72 dpi

Schmersal Ltd., Sparrowhawk Close, WR14 1GL Malvern

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 11/11/2024, 06:05