

ALPHA WIRE COMPANY
CUSTOMER PRODUCT SPECIFICATION

Part Number: FIT400
Page 1 of 2 Pages

Issue: 3
Issue Date: 2/3/2009
Effective Date: 2/3/2009

A. Construction

- 1) Tubing Type Heat Shrinkable Tubing
- 2) Tubing Material (FEP)
- 3) Color(s) NATURAL

Part Number	Minimum Supplied ID (In)	Maximum Recovered ID (In)	Nominal Recovered Wall Thickness (In)
FIT400-24	0.031	0.027	0.008
FIT400-22	0.036	0.032	0.008
FIT400-20	0.045	0.039	0.008
FIT400-18	0.060	0.049	0.008
FIT400-16	0.075	0.061	0.009
FIT400-14	0.092	0.072	0.009
FIT400-12	0.115	0.089	0.009
FIT400-10	0.141	0.114	0.010
FIT400-9	0.158	0.124	0.010
FIT400-8	0.180	0.143	0.010
FIT400-7	0.197	0.158	0.011
FIT400-6	0.225	0.180	0.011
FIT400-5	0.248	0.198	0.011
FIT400-4	0.290	0.226	0.011
FIT400-3	0.310	0.249	0.011
FIT400-2	0.365	0.280	0.012
FIT400-1	0.400	0.311	0.012
FIT400-0	0.440	0.349	0.012

B. Industry Approvals

- 1) Other AMS-DTL-23053/11 Class 1
REACH Regulation (EC 1907/2006)
- 2) EU Directive 2002/95/EC(RoHS):
All materials used in the manufacture of this part are in compliance with EU Directive 2002/95/EU regarding the restriction of use of certain hazardous substances in electrical and electronic equipment. Consult Alpha Wire's web site for compliance Date of Manufacture.

C. Physical & Mechanical Properties

- 1) Temperature Range -75 to 200°C
- 2) Shrink Ratio Approximately 1.2:1
- 3) Full Recovery Temperature 176°C
- 4) Tensile Strength 2000psi, Min ASTM D638
- 5) Elongation 200%, Min ASTM D638
- 6) Longitudinal Change +/-15% AMS-DTL-23053
- 7) Specific Gravity 2.17, Max ASTM D792
- 8) Shelf Life 4 Years @ 0 to 35°C

D. Electrical Properties

- 1) Dielectric Strength 2000 V/mil, Min ASTM D149
- 2) Volume Resistivity 1×10^{17} ohm-cm, Min ASTM D876

E. Chemical Properties

- 1) Water Absorption 0.01%, Max ASTM D570

Although Alpha Wire Company ("Alpha") makes every reasonable effort to ensure their accuracy at the time of publication, information and specifications described herein are subject to errors or omissions and to changes without notice, and the listing of such information and specifications does not ensure product availability.
Alpha provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Alpha be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary) whatsoever, even if Alpha has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

ALPHA WIRE COMPANY
CUSTOMER PRODUCT SPECIFICATION

Part Number: FIT400
Page 2 of 2 Pages

Issue: 3
Issue Date: 2/3/2009
Effective Date: 2/3/2009

2) Corrosion(0°C,16hrs)	no corrosion	AMS-DTL-23053
3) Fungus Resistance	Pass	AMS-DTL-23053
4) Halogen Free	No	
5) Lead Free	Yes	

F. Other

- 1) Packaging
 - a) FIT400-24
25X4 FT
 - b) FIT400-22
25X4 FT
 - c) FIT400-20
25X4 FT
 - d) FIT400-18
25X4 FT
 - e) FIT400-16
25X4 FT
 - f) FIT400-14
25X4 FT
 - g) FIT400-12
25X4 FT
 - h) FIT400-10
25X4 FT
 - i) FIT400-9
25X4 FT
 - j) FIT400-8
25X4 FT
 - k) FIT400-7
25X4 FT
 - l) FIT400-6
25X4 FT
 - m) FIT400-5
50X2 FT
 - n) FIT400-4
50X2 FT
 - o) FIT400-3
50X2 FT
 - p) FIT400-2
50X2 FT
 - q) FIT400-1
50X2 FT
 - r) FIT400-0
50X2 FT

Although Alpha Wire Company ("Alpha") makes every reasonable effort to ensure their accuracy at the time of publication, information and specifications described herein are subject to errors or omissions and to changes without notice, and the listing of such information and specifications does not ensure product availability.

Alpha provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Alpha be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary) whatsoever, even if Alpha has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.