




## Order Code

**MHRJ45SC** = RJ45 Shielding Can


- Shielding Can allows easy low cost conversion of UTP plug to FTP.
- Recommended use with MHRJ45SRB Series.

**Figure 1.**




Prepare cable as you would for UTP assemblies. Place the boot onto the cable, followed by the metal can, as shown above.

**Figure 2.**




Terminate the RJ45 plug prior to fitting the shielding can. Bend the drain wire across the top of the RJ45 body as shown, trim as necessary.

**Figure 3.**




Slide the shielded can over the RJ45, trapping the drain wire. Ensure that the join in the can is on the opposite side to the drain wire.

**Figure 4.**



Slide the boot over the can so that the bottom retention feature fully engages over the lip of the RJ45 plug.

# MH105-SERIES -SHORT BODY SHIELDED RJ45 PLUG



## Order code:

MH105-88-50	8P8C Shielded Short Body Plug & Can
MH105-SRBK	Black Plastic Strain Relief for MH105-88-50



- Compatible with all FCC specifications
- 50µ" gold plated contacts as standard,
- UL94V-0 polycarbonate short body
- Fully shielded deep drawn can with rear tube crimp over cable screen
- True knife blade, insulating piercing contacts

## Order Code

Crimping Tool

**MHJE-230M**

- Compatible with most tube can crimping tools