
This product is online at:www.trust.com/13504

# **ATrust**



#### Key features

- Reliable 400 VA UPS mains power protector for office and home usage
- Avoid damaging hardware, extra work and save your important data when mains power is down
- 20.000 Euro warranty on connected equipment (Check conditions for details)
- Up to 30 minutes of back-up time
- 3 protected outputs for PC, monitor and other important peripherals
- Extra reliability for connected devices thanks to RFI filter, surge protection, AVR function and modem/fax/phone protection
- Clear optical and acoustic indicators for power source and low battery
- Artnr: 13504

## **Technical Specifications**

- UPS 400 VA rated power capacity
- Up to 30 minutes back-up time (depending on load)
- 3 secure outputs with surge protection
- Filter to protect telephone, fax or modem with RJ-11 connector
- AVR function to compensate fluctuations in mains voltage
- Line-interactive design, processor actuated
- Normal operating voltage 170 280 volts, lower will activate the battery powered mode
- 150 Joule spike protection
- Clear optical and acoustic indicators for power source and low battery
- Fast back up response time: less than 6msec
- EMI / RFI noise filtering
- Product size ( H x W x D in mm): 140 x 100 x 330
- Connected equipment warranty conditions available in package and on www.trust.com

- UPS unit
- 2x loop through power cables
- Multi language user's manual
- Quick installation guide
- Warranty conditions for connected equipment

# Minimum System Requirements

- Computer or other electronic device220 240 VAC power input

This product is online at:www.trust.com/13506

# **ATrust**



#### Key features

- Reliable 600 VA UPS mains power protector for office and home usage
- Avoid damaging hardware, extra work and save your important data when mains power is down
- 20.000 Euro warranty on connected equipment (Check conditions for details)
- \* Up to 45 minutes of back-up time
- 3 protected outputs for PC, monitor and other important peripherals
- Extra reliability for connected devices thanks to RFI filter, surge protection, AVR function and modem/fax/phone protection
- Clear optical and acoustic indicators for power source and low battery
- Artnr: 13506

## **Technical Specifications**

- UPS 600 VA rated power capacity
- Up to 45 minutes back-up time (depending on load)
- 3 secure outputs with surge protection
- \* Filter to protect telephone, fax or modem with RJ-11 connector
- AVR function to compensate fluctuations in mains voltage
- · Line-interactive design, processor actuated
- Normal operating voltage 170 280 volts, lower will activate the battery powered mode
- 150 Joule spike protection
- Clear optical and acoustic indicators for power source and low battery
- Fast back up response time: less than 6msec
- EMI / RFI noise filtering
- Product size ( H x W x D in mm): 140 x 100 x 330
- Connected equipment warranty conditions available in package and on www.trust.com

- UPS unit
- 2x loop through power cables
- Multi language user's manual
- Quick installation guide
- Warranty conditions for connected equipment

Computer or other electronic device

in the second of the second of

• 220 - 240 VAC power input

This product is online at:www.trust.com/13987





## Key features

- Reliable 800VA UPS mains power protector for office and home usage
- Avoid damaging hardware, extra work and save your important data when mains power is down
- 20.000 Euro warranty on connected equipment (Check conditions for details)
- Up to 60 minutes of back-up time
- 3 protected outputs for PC, monitor and other important peripherals
- Extra reliability for connected devices thanks to RFI filter, surge protection, AVR function and modem/fax/phone protection
- Clear optical and acoustic indicators for power source and low battery
- Artnr: 13987

#### **Technical Specifications**

- UPS 800 VA rated power capacity
- Up to 60 minutes back-up time (depending on load)
- 3 secure outputs with surge protection
- Filter to protect telephone, fax or modem with RJ-11 connector
- AVR function to compensate fluctuations in mains voltage
- · Line-interactive design, processor actuated
- Normal operating voltage 170 280 volts, lower will activate the battery powered mode
- 150 Joule Spike protection
- Clear optical and acoustic indicators for power source and low battery
- Fast back up response time: less than 6 msec
- EMI / RFI noise filtering
- Product size ( H x W x D in mm): 140 x 100 x 330
- Connected equipment warranty conditions available in package and on www.trust.com


- UPS unit
- 2x loop through power cables
- Multi language user's manual
- · Quick installation guide
- Warranty conditions for connected equipment

# Minimum System Requirements

- Computer or other electronic device230 VAC power input

This product is online at:www.trust.com/13988

# **ATrust**



### Key features

- Reliable 1000 VA UPS mains power protector in metal housing for professional usage
- Avoid damaging hardware, extra work and save your important data when mains power is down
- 20.000 Euro warranty on connected equipment (Check conditions for details)
- Up to 70 minutes of back-up time
- 4 protected outputs for PC, monitor and other important peripherals
- Equipped with convenient user replaceable battery and automatic circuit breaker
- Extra reliability for connected devices thanks to RFI filter, surge protection, AVR function and modem/fax/phone protection
- Clear optical and acoustic indicators for battery and load level, status and overload
- Artnr: 13988

### **Technical Specifications**

- UPS 1000 VA rated power capacity
- Up to 70 minutes back-up (depending on load)
- 4 secure outputs with surge protection
- Filter to protect telephone, fax or modem with RJ-11 connector
- User replaceable battery design: save time and money by changing battery yourself
- Automatic circuit breaker: reset without replacing fuse after overload
- AVR function to compensate fluctuations in mains voltage
- Line-interactive design, processor actuated
- Normal operating voltage 170 280 volts, lower will activate the battery powered mode
- 150 Joule Spike protection
- Clear optical and acoustic indicators for battery and load level, status and overload
- Integrated ball bearing cooling fan for optimal performance
- Fast back up response time: less than 6 msec.
- EMI / RFI noise filtering
- Product size ( H x W x D in mm): 180 x 140 x 368
- Connected equipment warranty conditions available in package and on www.trust.com

- UPS unit
- 2x loop through power cables
- Multi language user's manual

- Quick installation guide Warranty conditions for connected equipment

# Minimum System Requirements

- Computer or other electronic device230 VAC power input