

PRODUCT CHANGE NOTIFICATION

PCN Number: 630

Date of Issue:	7/29/22
PCN Effective Date:	7/29/22
Last Time Buy Date:	-
Last Time Ship Date:	-
Type of Change:	MATL
Title of Change:	Material Update
Description and Reason for Change:	<p>The lock washer has been updated on the data sheets to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB for the part numbers listed below.</p> <p>Fit, form, function, are not affected.</p>

Mario Davila

Product Manager:  _____

AFFECTED PART NUMBER(S)

Manufacturer Part Number (MPN)	Description	Discontinued per PCN	Suggested Alternative Part Number(s)	Description of the Difference
CMC_441_ATP	PLC Lens 5mm 0.312" Round Fresnel Amber	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMC_441_BTP	PLC Lens 5mm 0.312" Round Fresnel Blue	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMC_441_CTP	PLC Lens 5mm 0.312" RND Clear	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMC_441_GTP	PLC Lens 5mm 0.312" RND Green	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMC_441_RTP	PLC Lens 5mm 0.312" RND Red	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMC_441_YTP	PLC Lens 5mm 0.312" RND Yellow	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

CMC_443_CTP	PLC Lens 5mm 0.312" Round Clear	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_ATP	PLC Lens 5mm 0.312" RND Amber NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_BTP	PLC Lens 5mm 0.312" RND Blue NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_CTP	PLC Lens 5mm 0.312" RND Clear NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_GTP	PLC Lens 5mm 0.312" RND Green NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_RTP	PLC Lens 5mm 0.312" RND Red NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
CMS_442_YTP	PLC Lens 5mm 0.312" RND Yellow NEMA4	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

CMS_444_CTP	PLC Lens 5mm 0.312" RND Clear	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
FLX_441_RTP_06	LTP Flex RND .312"D 6.0"L Red	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
FLX_442_CTP_04	LTP Flex RND .312"D 4"L CLR MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
FLX_442_CTP_06	LTP Flex RND .312"D 6"L CLR MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
FLX_442_CTP_12	LTP Flex RND .312"D 12"L CLR MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
FLX_442_GTP_12	LTP Flex RND .312"D 12"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_032_ATP	LTP Rigid RND .313"D .32"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

LCS_032_CTP	LTP Rigid Panel RND .313"D .32"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_032_GTP	LTP Rigid RND .313"D .32"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_032_RTP	LTP Rigid Panel RND .313"D .32"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_032_YTP	LTP Rigid RND .313"D .32"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_052_ATP	LTP Rigid RND .313"D .52"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_052_BTP	LTP Rigid Panel RND .313"D .52"L Blue MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_052_CTP	LTP Rigid Panel RND .313"D .52"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

LCS_052_GTP	LTP Rigid RND .313"D .52"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_052_RTP	LTP Rigid Panel RND .313"D .52"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_052_YTP	LTP Rigid RND .313"D .52"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_072_ATP	LTP Rigid RND .313"D .72"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_072_BTP	LTP Rigid Panel RND .313"D .72"L Blue MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_072_CTP	LTP Rigid Panel RND .313"D .72"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_072_GTP	LTP Rigid RND .313"D .72"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

LCS_072_RTP	LTP Rigid Panel RND .313"D .72"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_072_YTP	LTP Rigid RND .313"D .72"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_092_ATP	LTP Rigid RND .313"D .92"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_092_BTP	LTP Rigid Panel RND .313"D .92"L Blue MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_092_CTP	LTP Rigid Panel RND .313"D .92"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_092_GTP	LTP Rigid RND .313"D .92"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_092_RTP	LTP Rigid Panel RND .313"D .92"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

LCS_092_YTP	LTP Rigid RND .313"D .92"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_ATP	LTP Rigid RND .313"D 1.12"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_BTP	LTP Rigid RND .313"D 1.12"L Blue MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_CTP	LTP Rigid Panel RND .313"D 1.12"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_GTP	LTP Rigid RND .313"D 1.12"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_RTP	LTP Rigid Panel RND .313"D 1.12"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_112_YTP	LTP Rigid RND .313"D 1.12"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.

LCS_132_ATP	LTP Rigid RND .313"D 1.32"L Amber MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_132_BTP	LTP Rigid RND .313"D 1.32"L Blue MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_132_CTP	LTP Rigid Panel RND .313"D 1.32"L MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_132_GTP	LTP Rigid RND .313"D 1.32"L Green MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_132_RTP	LTP Rigid Panel RND .313"D 1.32"L RED MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_132_YTP	LTP Rigid RND .313"D 1.32"L Yellow MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.
LCS_177_CTP	LTP Rigid Panel RND .313"D 1.77"L CLR MS	No	-	The lock washer has been updated on the data sheet to reflect the correct material description. The lens retaining ring UL rating has changed from UL 94-V0 to UL 94-HB.